BOMANN®

Home Appliances 2016



CONTENT



Coffee machines	15
Coffee grinder	19
Espresso machine	19
Kettle	21
Milk frother	20
Tea/coffee station	26
Water kettle	25



Automatic toasters	26
Crêpe maker	31
Donut maker	32
Egg boiler	36
Ice cream cone maker	31
Ice cube maker	35
Muffin maker	32
Multigrill	34
Pepper/salt mill	36
Sandwich toaster	32
Soft ice maker	35
Waffle maker	30
Yogurt maker	35



Automatic juicer	55
Bag sealer	57
Citrus fruit squeezer	55
Deep fat fryers	57
Fondue deep fat pan	57
Food dryer	56
Food processor	44
Food slicer	36

Hand blender	37
Hand blender set	38
Hand mixer	41
Hand mixer set	43
Kitchen scales	56
Kneading/stirring machine	44
Kneading/stirring machine	
set	46
Mincer	52
Multi express	39
Multi chopper	40
Smoothie maker	54
Universal mixer	53
	Hand blender set Hand mixer Hand mixer set Kitchen scales Kneading/stirring machine Kneading/stirring machine set Mincer Multi express Multi chopper Smoothie maker



Bread maker	59
Barbecue standing grill	65
Barbecue table grill	65
Built-in microwaves with grill	74
Contact grill	61
Convection oven	67
Fondue set	64
Gas grill	66
Hot dog maker	60
Hotplates	75
Induction hot plates	76
Microwaves	70
Mini kitchen	69
Mini oven	67
Multi oven	68
Multi pizza oven	68
Raclette grills	64
Rice boiler	59
Steam cooker	60
Party pans	62



Steam irons	78
Mini-washing machine	81
Steam ironing unit	80
Textile cleaner	77
Fabric steamer	81



Battery vaccum cleaner	84
Floor vacuum cleaner	86
Hand vacuum cleaner	85
High pressure cleaner	83
Steam cleaner	82
Steam mop	83
Wet and dry cleaner	90
Window cleaner	84



Bathroom scales	91
Foot massage equipment	91
Hair and beard trimmer	92
Hair crimper / hot air styler	93
Hair dryer	94
Nose and ear hair remover	92



Accessoires	101
Air dehumidifier	98
Cool boxes	99
Ventilators	96
Wine cooler	100
Fan heater	97



Kettle WK 1566 CB => page 23




UM 1569 CB => page 53











Coffee machine KA 1575 CB

- For 8–10 cups of coffee (approx. 1,25 l)
- Anti-drip protection
- Swivel filter
- On/off switch with control lamp (blue illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- 230 V, 50 Hz, 870 W max.

Automatic toaster TA 1577 CB

- Compact 2-slice toaster
- Cool touch housing
- Bun warmer (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning
- 3 control lamps (blue illuminated)
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 230 V, 50 Hz, 870 W max.

Kettle WK 1576 CB

- Max. capacity 1.7 litre
- Simple handling due to cable-free technology – easy to pour in and out
- Safety lid
- Lime filter (removable)
- On/off switch (illuminated in blue)
- Stainless steel heating element
- Automatic/manual switch-off
- External water level indicator
- Base station with cord storage
- Evaporation/overheating protection
- 230 V, 50 Hz, 2200 W



Coffee machine KA 1575 CB

- For 8–10 cups of coffee (approx. 1,25 l)
- Anti-drip protection
- Swivel filter
- On/off switch with control lamp (blue illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- 230 V, 50 Hz, 870 W max.

Automatic toaster TA 1577 CB

- Compact 2-slice toaster
- Cool touch housing
- Bun warmer (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning
- 3 control lamps (blue illuminated)
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 230 V, 50 Hz, 870 W max.

Kettle

WK 1576 CB

- Max. capacity 1.7 litre
- Simple handling due to cable-free technology – easy to pour in and out
- Safety lid
- Lime filter (removable)
- On/off switch (blue illuminated)
- Stainless steel heating element
- Automatic/manual switch-off
- External water level indicator
- Base station with cord storage
- Evaporation/overheating protection
- 230 V, 50 Hz, 2200 W







Coffee machine KA 1571 CB

- For 8–10 cups of coffee (approx. 1,25 l)
- Anti-drip protection
- Swivel filter
- On/off switch with control lamp
- Water level indicator
- Heating plate with automatic switch-off
- 230 V, 50 Hz, 870 W max.

Automatic toaster TA 1573 CB

- Compact 2-slice toaster
- Cool touch housing
- Bun warmer (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable thermostat
- 3 control lamps
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 230 V, 50 Hz, 600–700 W. max.

Kettle WK 1572 <u>CB</u>

- Max. capacity 1.7 litre
- Simple handling due to cable free technology – easy to pour in and
- Safety lid
- Lime filter (removable)
- On/off switch (illuminated)
- Stainless steel heating element
- Automatic/manual switch-off
- External water level indicator
- Base station with cord storage
- Evaporation/overheating protection
- 230, V, 50 Hz, 2200 W

BOMANN[®]



Coffee machine KA 1501 CB

- For 8-10 cups of coffee
- Anti-drip protection
- On/off switch with control lamp
- Swivel filter
- Water level indicator
- Heating plate with automatic switch-off
- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 210 x 300 x 220 mm

Kettle WK 1502 CB

- Max. capacity 1,7 litre
- Cordless, for easy using
- Nylon filter (removable)
- On/off switch with control lamp
- Automatic/manual switch-off
- 2 external water level indicators
- Evaporation/overheating protection
- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 250 x 265 x 135 mm

Automatic toaster TA 1503 CB

- 2-slice toaster
- Cool touch housing
- Continuously adjustable thermostat
- Defrost/reheat/quick-stop function
- Lift function
- Crumb drawer (removable)
- Bun warmer (integrated)
- Base station with cord storage
- 230 V, 50 Hz, 800 W
- WxHxD approx. 275 x 180 x 180 mm



Art. no. 615 001 EAN 4 004 470 150 018



Coffee machine KA 1580 CB

- For 8-10 cups of coffee (approx. 1.25 l)
- Stainless steel insert
- Anti-drip protection
- Filter holder (removable)
- On/off switch with control lamp (blue illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- 230 V, 50 Hz, 1000 W

TA 1582 CB

- 2-slice toasterStainless steel insert
- Cool touch housing
- Bun warmer (integrated)
- Defrost, reheat, quick-stop function
- Continuously adjustable thermostat
- 3 control lamps (blue illuminated)
- Centring function
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 230 V, 50 Hz, 850 W

Kettle WKS 1581 CB

- Max. capacity 1.5 litre
- Stainless steel insert
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- Locked safety hinged lid with one-handed operation
- Lime filter (removable)
- On/off switch (blue illuminated)
- Concealed stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Base station with cord storage
- Evaporation/overheating protection
- 230 V, 50 Hz, 2200 W















1-cup coffee machine KA 180 CB

- "Coffee to go" simple, quick, and fresh, with the familiar taste of an aromatic filter coffee
- Ideal for camping, in the office, at home or on the way
- Incl. thermo stainless steel cup with drink opening and heat insulated aroma seal lid
- 300 ml capacity
- Permanent nylon filter (removable)
- Cup fits virtually all standard cup holders
- Rubberised "Soft Touch" handle
- On/off switch
- Control lamp
- 230 V, 50 Hz, 420 W
- WxHxD approx. 165 x 160 x 245 mm



1 cup coffee machine KA 201 CB

- 1 cup coffee machine for filter coffee
- Space-saving design (ideal when out and about)
- Includes one ceramic cup
- Permanent nylon filter (removable)
- On/off switch with control lamp
- Automatic power off
- Nonslip tray (removable)
- 220–240 V, 50 Hz, 270–330 W
- WxHxD approx. 130 x 175 x 155 mm

Coffee machine KA 165 CB

- For 10-12 cups of coffee (approx. 1.5 litre)
- Anti-drip protection
- Swivel filter
- On/off switch with control lamp
- Water level indicator
- Heating plate with automatic switch-off
- Transparent water container
- Evaporation protection
- 230 V, 50 Hz, 800 W
- WxHxD approx. 165 x 285 x 225 mm





Coffee machine KA 1575 CB

- For 8-10 cups of coffee (approx. 1.25 litre)
- Anti-drip protection
- Swivel filter
- On/off switch with control lamp (blue illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 165 x 300 x 250 mm

Coffee machine KA 1571 CB

- For 8-10 cups of coffee (approx. 1.25 litre)
- Anti-drip protection
- Swivel filter
- On/off switch with control lamp
- Water level indicator
- Heating plate with automatic switch-off
- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 165 x 300 x 250 mm

Coffee machine KA 183 CB

- For 12-14 cups of coffee (approx. 1.5 litre)
- Anti-drip protection
- Filter holder (removable)
- On/off switch (illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- Cord storage
- 230 V, 50 Hz, 900 W
- WxHxD approx. 190 x 330 x 205 mm



Can also be combined as a suitable breakfast set



Can also be combined as a suitable breakfast set



EAN 4 004 470 157 505 PU 6 Art. no. 615 751 4 004 470 157 512



(€ €

Art. no. 615 711 4 004 470 157 116



Art. no. 601 830 EAN 4 004 470 018 301 Art. no. 601 833 4 004 470 018 332

PU₆

PU₆









Coffee machine KA 1580 CB

- For 8-10 cups of coffee (approx. 1.25 litre)
- Stainless steel insert
- Anti-drip protection
- Filter holder (removable)
- On/off switch with control lamp (blue illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- **230 V, 50 Hz, 1000 W**
- WxHxD approx. 185 x 310 x 260 mm

Coffee machine KA 1369 CB

- For 12–14 cups of coffee (approx. 1.5 litre)
- High-quality stainless steel application
- Anti-drip protection
- Filter holder (removable)
- On/off switch with control lamp (blue illuminated)
- Water level indicator
- Heating plate with automatic switch-off
- 230 V, 50 Hz, 900 W
- WxHxD approx. 180 x 325 x 260 cm

Coffee machine KA 1565 CB

- For 8-10 cups of coffee (approx. 1.2 litre)
- Stainless steel insert and lid
- Anti-drip protection
- Filter holder (removable)
- On/off switch with control lamp
- Water level indicator
- Heating plate with automatic switch-off
- 230 V, 50 Hz, 900 W
- WxHxD approx. 195 x 335 x 220 mm



Can also be combined as a suitable breakfast set



Can also be combined as a suitable kitchen set

4 004 470 156 546



(€ €

Art. no. 615 801 4 004 470 158 014 PU 6

Art. no. 613 691 4 004 470 136 913

PU 4

Art. no. 615 651 EAN 4 004 470 156 515 Art. no. 615 654

PU₄ PU 4







Coffee machine KA 1367 CB

- For 15 cups of coffee (approx. 1.7 litre)
- Stainless steel front
- Programmable 24-hour LCD digital timer
- Anti-drip protection
- Filter holder (removable)
- 4 control buttons (illuminated)
- Heating plate with automatic switch-off
- Water level indicator
- 230 V, 50 Hz, 1000 W
- WxHxD approx. 220 x 375 x 240 mm

Thermo coffee machine KA 168 CB

- For 8-10 cups of coffee (approx. 1.0 litre)
- Thermo jug (double-walled)
- Anti-drip protection
- Filter holder (removable)
- On/off switch with control lamp
- Automatic power off
- Water level indicator
- 220–240 V, 50 Hz, 870 W max.
- WxHxD approx. 185 x 340 x 210 mm

Thermo coffee machine KA 1370 CB

- For 8–10 cups of coffee (approx. 1.2 l)
- Stainless steel thermo jug (doublewalled) with aroma seal - drinks remain hot for longer
- High-quality stainless steel application
- Anti-drip protection
- Filter holder (removable)
- On/off switch with control lamp (blue illuminated)
- Automatic power off
- Water level indicator
- 220-240 V, 50 Hz, 800 W
- WxHxD approx. 180 x 325 x 260 cm



Programmable 24-hour LCD digital timer



Double-walled thermo jug with aroma seal – drinks remain



Art. no. 613 671

PU 4

Art. no. 601 680 4 004 470 016 802 Art. no. 601 683 4 004 470 016 871

PU 6 PU 6

Art. no. 613 701 4 004 470 137 019













Espresso machine ES 184 CB

- Espresso and cappuccino pump machine
- Swivelling stainless steel steam nozzle with foaming and hot water function
- Steam volume steplessly adjustable
- Steam nozzle tip removable for easy cleaning
- Cup warming function with aluminum insert
- Constant pump pressure (15 bar)
- 1.5 litre water tank (removable)
- External water level indicator
- Collection cup with aluminum drip grid (removable)
- 2 control lamps
- Automatic power off
- Ready status indicator
- Accessories: 2 filter holders (1 and 2 cups), coffee measure, tamper
- 230 V, 50 Hz, 1050 W
- WxHxD approx. 185 x 290 x 215 mm

Coffee grinder KSW 445 CB

■ Electric coffee mill with beater

Stainless steel housing

- Stainless steel beater blade
- Stainless steel bean container, hygienic and with aroma protection
- Transparent lid
- Capacity 40 g for 20 cups of coffee
- With 120 watt motor
- Safety circuit operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Cord storage
- 230 V, 50 Hz, 120 W
- WxHxD approx. 100x200x100 mm

Coffee grinder KSW 446 CB

- Electric coffee mill with beater
- Stainless steel beater blade
- Stainless steel bean container, hygienic and with aroma protection
- Transparent lid
- Capacity 40 g for 20 cups of coffee
- With 120 watt motor
- Safety circuit operation only possible with lid in place
- Safety pushbutton also for pulsed operation
- Degree of grinding can be selected by the length of operation
- Cord storage
- 230 V, 50 Hz, 120 W
- WxHxD approx. 100x200x100 mm



Cup warming function





Art. no. 604 451 4 004 470 044 515 PU 6







20

- No preheating of the milk thanks to the integrated heating function
- Creates foamy milk in seconds
- Also suitable for hot and cold chocolate
- Glass container (750 ml) with stainless steel handle
- Amount of milk foam: approx. 300 ml
- Simple handling due to cable-free technology, plug connection rotates through 360°
- Electronic 3 function switch
 - Froth the milk warm
 - Froth the milk cold ideal for iced coffee
 - Heat the milk
- Built-in heating element
- Automatic switch-off function
- Incl. lid with splash guard function
- Additional stirrer hot drinks without foaming (e.g. cacao)
- Glass container and lid removable for easy cleaning
- 230 V, 50 Hz, 600 W
- WxHxD approx. 120 x 180 x 175 mm

Milk frother MS 344 CB

- Creates foamy milk in seconds
- Soft touch housing
- Stainless steel whisk
- Easy to clean
- Battery operation: 2 x 1,5 V AA/UM 3 (batteries not included)
- WxHxD approx. 47 x 225 x 32 mm

Milk frother MS 3502

- Creates foamy milk in seconds
- Easy handling due to cable-free technology
- Stainless steel housing
- Stainless steel frothing whisk
- Including stainless steel stand and closure cap for practical and hygienic
- LED control lamp (red illuminated)
- Detachable stainless steel cap (lockable)
- Battery operation: 2x 1.5 V (AA) (batteries not included)
- Length approx. 230 mm; Ø 32 mm







Promotional





Kettle WK 5024 CB

- Max. capacity 1.0 litre
- Simple handling due to cable-free technology – easy to pour in and out
- Safety hinged lid with single-handed operation
- Lime filter (removable)
- On/off switch (illuminated)
- Stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Rubber profile on the handle
- Incl. base station
- Evaporation/overheating protection
- 230 V, 50 Hz, 900 W
- WxHxD approx. 185 x 220 x 115 mm

Kettle WK 5011 CB

- Max. capacity 1.7 litre
- Simple handling due to cable-free technology – easy to pour in and out
- Safety hinged lid with single-handed operation
- Lime filter (removable)
- On/off switch (illuminated)
- Stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Rubber profile on the handle
- Base station with cord storage
- Evaporation/overheating protection
- 230 V, 50 Hz, 2200 W
- WxHxD approx. 220 x 255 x 140 mm

Kettle WK 5011 CB

- Max. capacity 1.7 litre
- Simple handling due to cable-free technology – easy to pour in and out
- Safety hinged lid with single-handed operation
- Lime filter (removable)
- On/off switch (illuminated)
- Stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Rubber profile on the handle
- Base station with cord storageEvaporation/overheating protection
- 230 V, 50 Hz, 2200 W
- WxHxD approx. 220 x 255 x 140 mm



Can also be combined as a suitable kitchen set



PU 6 PU 6 Art. no. 650 110

EAN 4 004 470 501 100

Art. no. 650 113


EAN 4 004 470 501 131

PU 6

Art. no. 650 111

EAN 4 004 470 501 117

PU 6









WK 1576 CB

Kettle

- Max. capacity 1.7 litre
- Simple handling due to cable-free technology – easy to pour in and out
- Safety hinged lid
- Lime filter (removable)
- On/off switch (blue illuminated)
- Stainless steel heating element
- Automatic/manual switch-off
- External water level indicator
- Base station with cord storage

 Storage Station (storage action to protection)
- Evaporation/overheating protection
- 230, V, 50 Hz, 2200 W
- WxHxD approx. 220 x 235 x 125 mm

Kettle WK 1572 CB

- Max. capacity 1.7 litre
- Simple handling due to cable-free technology – easy to pour in and out
- Safety hinged lid
- Lime filter (removable)
- On/off switch (illuminated)
- Stainless steel heating element
- Automatic/manual switch-off
- External water level indicator
- Base station with cord storage
- Evaporation/overheating protection
- 230, V, 50 Hz, 2200 W
- WxHxD approx. 220 x 235 x 125 mm

Kettle WK 5012 CB

- Max. capacity 1.8 litre
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- Lockable safety hinged lid with single-handed operation
- Lime filter (removable)
- On/off switch (illuminated)
- Concealed stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Base station with cord storage
- Overheating protection
- 230 V, 50 Hz, 2200 W
- WxHxD approx. 225 x 255 x 150 mm



Can also be combined as a suitable breakfast set

4 004 470 157 611



Can also be combined as a suitable breakfast set



Art. no. 615 760 EAN 4 004 470 157 604 Art. no. 615 761

PU 6 PU 6

Art. no. 615 721 EAN 4 004 470 157 215



Art. no. 650 120
EAN 4 004 470 501 209
Art. no. 650 123
EAN 4 004 470 501 216

PU 6 PU 6









WKS 1581 CB

- Max. capacity 1.5 litre
- Stainless steel insert
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- Lockable safety hinged lid with single-handed operation
- Lime filter (removable)
- On/off switch (blue illuminated)
- Concealed stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Base station with cord storage
- Evaporation/overheating protection
- **230, V, 50 Hz, 2200 W**
- WxHxD approx. 155 x 245 x 215 mm

Kettle WK 1566 CB

- Max. capacity 1.7 litre
- Simple handling due to cable-free technology - easy to pour in and out
- 360° connector
- Safety hinged lid with stainless steel insert and single-handed operation
- Lime filter (removable)
- On/off switch
- Concealed stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators (illuminated)
- Base station with cord storage
- Overheating protection
- 230 V, 50 Hz, 2200 W
- WxHxD approx. 220 x 235 x 160 mm

WKR 1162 CB

- Ideal when traveling and on the move ■ Max. capacity 0.5 litre
- Stainless steel housing
- Incl. 2 cups @ 170 ml, transport / travel bag and stainless steel spoon
- Concealed stainless steel heating element
- Control lamp
- Automatic switch-off
- Evaporation/overheating protection
- 110/230 V, 50 Hz, 1000 W
- WxHxD approx. 160 x 170 x 105 mm



Can also be combined as a suitable breakfast set




Can also be combined as a suitable kitchen set



Incl. transport / travel



Incl. 2 cups à 170 m + stainless steel spoon



PU 6

Art. no. 615 661 EAN 4 004 470 156 614 Art. no. 615 664 4 004 470 156 645

PU₄ PU 4

Art. no. 611 621 4 004 470 116 212







Kettle WKS 1361 CB

- Max. capacity 1.0 litre
- Stainless steel thermo housing
- Simple handling due to cable-free technology - easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- Lime filter (removable)
- On/off switch
- Concealed stainless steel heating element
- Automatic/manual switch-off
- Water level indicator
- Base station with cord storage
- Evaporation/overheating protection
- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 220 x 195 x 150 mm

Kettle WKS 5010 CB

- Max. capacity 1.7 litre
- Simple handling due to cable-free technology - easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- Lime filter (integrated)
- On/off switch (illuminated)
- Stainless steel body
- Concealed stainless steel heating element
- Automatic/manual switch-off
- Water level indicator
- Cord storage
- Evaporation/overheating protection
- 220-240 V, 50 Hz, 2000-2400 W max.
- WxHxD approx. 230 x 250 x 145 mm

Kettle WKS 1356 CB

- Max. capacity 1.7 litre
- Simple handling due to cable-free technology - easy to pour in and out
- 360° connector
- Lockable safety hinged lid
- Lime filter (removable and washable)
- On/off switch
- Control lamp (blue illuminated)
- Stainless steel thermo housing
- Concealed stainless steel heating element
- Automatic/manual switch-off
- 2 external water level indicators
- Base station with cord storage (stainless steel sheathed)
- Evaporation/overheating protection
- 230 V, 50 Hz, 2200 W max.
- WxHxD approx. 220 x 250 x 145 mm

Art. no. 650 100

4 004 470 501 018





- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- Lime filter (removable, washable)

WKS 5031 CB

- On/off switch (illuminated)
- Concealed stainless steel heating element
- Stainless steel water jug
- Automatic/manual switch-off
- External water level indicator
- Base station with cord storage
- Evaporation/overheating protection
- 230 V, 50 Hz, 1850-2200 W
- WxHxD approx. 245 x 295 x 225 mm

Water kettle WK 5025 CB

- Max. capacity 1.8 litre
- Simple handling due to cable-free technology – easy to pour in and out
- 360° connector
- Lime filter (integrated)
- On/off switch
- Concealed stainless steel heating
- Stainless steel water jug
- Automatic/manual switch-off
- External water level indicator
- Base station with cord storage
- Evaporation/overheating protection
- 230, V, 50 Hz, 1800 W
- WxHxD approx. 200 x 285 x 230 mm

Glass kettle WK 5023 G CB

- Max. capacity 1.7 litre
- Glass/stainless steel housing
- Water container made of heat resistant safety glass
- Simple handling due to cable-free technology - easy to pour in and out
- 360° connector
- On/off switch
- Concealed stainless steel heating element
- Automatic/manual switch-off
- External water level indicator
- Base station with cord storage (stainless steel sheathed)
- Evaporation/overheating protection
- 220-240 V, 50 Hz, 1850-2200 W max
- WxHxD approx. 220 x 240 x 150 mm



External water level




External water level




PU₄ PU 4



















Tea/coffee station TKS 1311 CB

3 in 1 - tea/coffee station with stainless steel water kettle and tea/coffee maker

Water kettle:

- Max. capacity 1.7 litre
- Stainless steel water kettle with integrated heating
- Simple handling due to cable-free technology easy to pour in and out
- 360° connector
- On/off switch
- Lockable safety hinged lid
- Lime filter (integrated)
- Automatic/manual switch-off
- Water level indicator
- Evaporation/overheating protection

Glass jug:

- For tea and coffee making
- Max. capacity 1.2 litre
- Heat-resistant glass
- Stainless steel tea filter (removable)

Base:

- Keep warm function
- Heating plate (non-stick coated)
- On/off switch (illuminated)
- Heat insulated handles
- Non-slip stand
- 220-240 V, 50 Hz, 2000-2250 W max.
- WxHxD approx. 410 x 300 x 180 mm

Automatic toaster TA 246 CB


- Compact 2-slice toaster
- Cool touch housing
- Bun warmer (integrated)
- Defrost/reheat/quick-stop function
- Continuously adjustable thermostat
- 2 control lamps
- Automatic/manual switch-off
- Crumb drawer
- Base station with cord storage
- 230 V, 50 Hz, 700 W. max.
- WxHxD approx. 285 x 240 x 165 mm

Art. no. 602 460 EAN 4 004 470 024 609

4 004 470 024 630

PU₆ PU₆





(€ €



Automatic toaster TA 1577 CB

- Compact 2-slice toaster
- Cool touch housing
- Bun warmer (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning
- 3 control lamps (blue illuminated)
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 230 V, 50 Hz, 870 W max.
- WxHxD approx. 260 x 170 x 145 mm

Automatic toaster TA 1573 CB

- Compact 2-slice toaster
- Cool touch housing
- Bun warmer (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable thermostat
- 3 control lamps
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 230 V, 50 Hz, 600–700 W. max.
- WxHxD approx. 260 x 170 x 145 mm



Can also be combined as a suitable breakfast set

4 004 470 157 710




Can also be combined as a suitable breakfast set

Art. no. 615 770 EAN 4 004 470 157 703 Art. no. 615 771 EAN 4 004 47

PU 6







■ 2-slice toaster

28

- Stainless steel insert
- Cool touch housing
- Bun warmer (integrated)
- Defrost/reheat/quick-stop function
- Continuously adjustable thermostat
- 3 control lamps (blue illuminated)
- Centring function
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 230 V, 50 Hz, 850 W
- WxHxD approx. 300 x 175 x 170 mm

Automatic toaster TA 1567 CB

- 2-slice toaster
- Stainless steel insert
- Cool touch housing
- Bun warmer (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable thermostat
- 3 control lamps
- Centring function
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 230 V, 50 Hz, 800 W
- WxHxD approx. 285 x 160 x 170 mm



Can also be combined as a suitable breakfast set



Can also be combined as a kitchen breakfast set



PU 6

Art. no. 615 671 EAN 4 004 470 156 713 Art. no. 615 674 4 004 470 156 744

PU 4







Automatic toaster TA 1371 CB

- 2-slice toaster
- Stainless steel housing
- Bun warmer (removable)
- Defrost/reheat/quick-stop function (blue illuminated)
- Continuously adjustable thermostat
- Centring function
- Automatic/manual switch-off
- Crumb drawer
- Cord storage
- 220-240 V, 50/60 Hz, 750-850 W
- WxHxD approx. 270 x 180 x 150 mm

Automatic toaster TA 245 CB


- 4-slice long-slot toaster
- Heat-insulated cool touch housing

BOWANN

- Bun warmer (removable)
- Defrost/reheat/quick-stop function
- Continuously adjustable browning
- 3 LED control lamps
- Automatic switch-off
- Crumb drawer
- Cord storage
- 230 V, 50 Hz, 1400 W
- WxHxD approx. 375 x 175 x 165 mm



Defrost/reheat/ quick-stop function (blue illuminated)













Waffle maker WA 5018 CB

30

- Large baking plates: approx. Ø 18 cm (non-stick coated)
- Heat insulated handle
- Continuously adjustable browning level
- 2 control lamps for power and heating (baking lights)
- High stability through rubberized feet
- Overheating protection
- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 205 x 115 x 250 mm

Waffle maker WA 1365 CB

- Stainless steel insert
- Large baking plates: approx. Ø 18 cm (non-stick coated)
- Heat insulated handle
- Continuously adjustable browning level
- 2 control lamps for power and heating (baking lights)
- Overheating protection
- 230 V, 50 Hz, 1000 Watt
- WxHxD approx. 260 x 100 x 260 mm



Stainless steel insert



PU 6 PU 6













Waffle maker WA 5030 CB

- Stainless steel insert
- 2 large baking plates (non-stick coated)
- 2 waffles for each baking procedure
- Heat insulated handle
- Continuously adjustable browning level
- 2 control lamps for power and heating (baking lights)
- High stability through rubberized feet
- Overheating protection
- Cord storage
- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 350 x 105 x 230 mm

Ice cream cone maker HA 5017 CB

- Large baking plate: approx. Ø 18 cm (non-stick coated)
- Heat insulated handle
- Continuously adjustable browning level
- 2 control lamps for power and heating (baking lights)
- High stability through rubberized feet
- Incl. squirrel cone
- Overheating protection
- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 205 x 115 x 250 mm

Crêpe maker CM 2221 CB

- Large baking plate: approx. Ø 29 cm (non-stick coated)
- Paper-thin crêpes, quickly and easily prepared
- Heat-insulated plastic base
- Infinitely adjustable thermostat
- 2 control lamps for power and heating (baking lights)
- Base station with cord storage
- Incl. batter distributor
- 230 V, 50 Hz, 900 W
- WxHxD approx. 325 x 80 x 370 mm



Stainless steel insert



Incl. squirrel cone




Incl. batter distributor



Art. no. 650 301 EAN 4 004 470 503 012 PU 4

Art. no. 650 171
EAN 4 004 470 616 835











- For baking up to 7 bagels/donuts
- Baking surfaces non-stick coated
- Heat insulated handle
- 2 control lamps for power and heating (baking lights)
- Excellent stability through rubberized feets
- Overheating protection
- 230 V, 50 Hz, 900 W
- WxHxD approx. 225 x 115 x 225 mm

Muffin maker MM 5020 CB

- For baking up to 7 muffins
- Muffin diameter approx. 4,5 cm
- Baking surfaces non-stick coated
- Heat insulated handle
- 2 control lamps for power and heating (baking lights)
- Excellent stability through rubberised feet
- Overheating protection
- 230 V, 50 Hz, 900 W
- WxHxD approx. 225 x 115 x 225 mm

Sandwich toaster ST 5016 CB

- Non-stick coating
- Heat insulated handle
- Automatic temperature controller
- 2 control lamps for power and heating (baking lights)
- Locking system
- Safety shutdown
- Overheating protection
- 220-240 V, 50 Hz, 750 W
- WxHxD approx. 230 x 80 x 230 mm

(€ €

PU 6

PU 6



Sandwich toaster

■ Stainless steel insert

Sandwich toaster

■ Non-stick coating

ST 1363 CB

- Heat insulated handle
- Automatic temperature control
- 2 control lamps for power and heating (baking lights)
- High stability through rubberized feet
- Locking system
- Overheating protection
- Cord storage
- 220-240 V, 50/60 Hz, 700 W
- WxHxD approx. 235 x 100 x 225 mm

- ST 1372 CB
- Stainless steel insert
- Triangular sandwich plates
- Non-stick coating
- Heat insulated handle
- Automatic temperature control
- 2 control lamps for power and heating (baking lights)
- High stability through rubberized feet
- Locking system
- Overheating protection
- 220-240 V, 50/60 Hz, 750 W
- WxHxD approx. 235 x 95 x 235 mm

ST 1472

Sandwich toaster

- 4-slice sandwich toaster
- Stainless steel insert
- Triangular sandwich plates
- Non-stick coating
- Heat insulated handle
- Automatic temperature control
- 2 control lamps for power and heating (baking lights)
- High stability through rubberized feet
- Locking system
- Overheating protection and overtemperature protection
- 220-240 V, 50/60 Hz, 1200 W
- WxHxD approx. 270 x 105 x 325 mm





(€ €





Art. no. 613 631 4 004 470 616 774 PU 6

Art. no. 613 721 4 004 470 637 359



Art. no. 614 720 4 004 470 637 366







Multi grill 34 ST/WA 1364 CB

- Sandwich toaster, waffle maker and contact grill
- Versatile use by three different removable plates (sandwich/waffle/grill plates), e.g. for Belgian waffles and tasty sandwich variations, as well as for fast two-sided contact grilling
- Stainless steel insert
- Baking plates non-stick coated and changeable
- Heat insulated handle
- 2 control lamps for power and heating (baking lights)
- High stability through rubberized feet
- Locking system
- Overheating protection
- **230 V, 50/60 Hz, 650 W**
- WxHxD approx. 230 x 100 x 225 mm

Multi grill MG 2251 CB

- Multi grill for double-sided, fat-free grilling
- Versatile, can be used for e.g. panini, steaks, fish or vegetables
- Stainless steel housing
- Short cooking times
- Non-stick grill plates with extra deep grooves for strong grill pattern
- Heat insulated handle
- Control lamp
- Grilling surfaces: 23 x 14,5 cm
- Cord storage
- 220-240 V, 50/60 Hz, 700W
- WxHxD approx. 270 x 95 x 230 mm










Sandwich plates, waffle plates, grill plates



Stainless steel housing



Art. no. 613 641 4 004 470 616 781















Ice cube maker **EWB 1027 CB**

■ Compact ice cube maker without complicated installation for producing ice cubes quickly and simply at the press of a button

- Ideal for home use, in offices, when camping or for small bars
- No water pipe required, simply fill water into the tank (2.2-I-water tank)
- Approx. 10–15 kg of ice cubes in 24 hours (approx. 90 g in 10 min corresponding to 9 ice cubes)
- LED display and acoustic signal when the ice cube container is full or the water tank is empty
- Energy-saving mode automatic switch-off at the end of the program
- On/off switch
- 3 control lamps (ice full, empty water, operation)
- Visual check through viewing window in the lid
- Low-noise
- 220-240 V, 50/60 Hz, 95 W (Cooling), 165 W (spending ice cubes)
- WxHxD approx. 245 x 330 x 370 mm





For approx. 10-15 kg ice cubes

Soft ice cream maker **ICM 387 CB**

- Soft ice cream maker with discharge valve for preparation of soft ice cream, ice cream, frozen yogurt, and sorbet
- Lid with replenishing aperture
- With portioner ice dispensed directly from the machine
- On/off switch
- Incl. recipe suggestions
- Capacity max. 1 litre
- Double-walled ice cream maker with cold storage, removable for easy cleaning (H: 14 cm; Ø 17 cm)
- Stirring element with powerful, quiet motor
- Excellent stability through rubberised feet
- 220-240 V, 50 Hz, 18 W
- WxHxD approx. 220 x 440 x 225 mm



Soft ice cream maker with discharge valve

Yogurt maker JM 1025 CB

- Easy preparation of up to 1.1 litres of yoghurt
- 7 practical portion jars with screw cap (capacity: 160 ml)
- On/off switch (illuminated)
- Transparent lid
- Additional jars in a set of 6 also available as an optional EG JM 3344, Product number: 251 125
- 230 V, 50 Hz, 14 W
- WxHxD approx. 240 x 150 x 265 mm


Suitable replacement jar: EG JM 3344

Art. no.: 251 125 EAN: 4 006 160 511 253





(€



PU 1





Art. no. 610 250 4 004 470 102 505













Egg boiler 36 EK 5022 CB

- Preparation of up to 6 eggs
- Heating dish non-stick coated
- On/off switch (illuminated)
- Acoustic signal (buzzer)
- Removable egg holder
- Incl. measuring beaker with egg pricker
- 230 V, 50 Hz, 400 W
- WxHxD approx. 220 x 130 x 135 mm

Electric pepper/salt mill **PSM 437 N CB**

- High-quality precision ceramic grinder
- Stainless steel housing
- Adjustable ceramic grinder (from coarse to fine)
- Consistent grinding quality
- Simple refilling
- Single-handed operating
- Incl. light for optimum dosing of the condiment
- Battery-operated
- Battery operation: 4x1,5 V AA/Mignon/LR/AM3 (batteries not included)
- WxHxD approx. 45 x 220 x 45 mm


Food slicer AS 432 CB

- Special stainless steel blade (rustproof)
- Powerful motor
- 3-step switch
- Safety power switch
- Infinitely adjustable cutting thickness
- Cutting thickness indication
- Food holder with finger guard
- Removable slide
- Foldable housing
- 220-240 V, 50/60 Hz, 180 W max.
- WxHxD approx. 280 x 230 x 310 mm





Art. no. 650 220





Art. no. 604 320

PU₆





Metal food slicer MA 451 CB

- Big stainless steel blade (Ø 190 mm), rustproof
- Universal serrated blade
- Motor housing: aluminium die cast
- On/off switch
- Metal guiding rail
- Metallic guiding board
- Food grip with finger protection
- Continuously adjustable cutting size (0–15 mm)
- Tilted supporting table with stainless steel insert, tiltable for easy cleaning
- Non-slip stand by suction feet
- 220-240 V, 50/60 Hz, 150 W
- WxHxD approx. 365 x 235 x 265 mm

Hand blender SM 354 CB

- Stainless steel cutting blade
- On/off switch (countersunk)
- Incl. transparent mixing vessel (500 ml)
- Hanging loop
- Wall holder plus attachment materials
- 220-240 V, 50 Hz, 180 W
- WxHxD approx. 80 x 330 x 80 mm

Hand blender SM 384 CB

- Stainless steel cutting blade (rustproof)
- On/off switch (countersunk)
- Powerful 180 watt motor
- Incl. transparent mixing vessel (500 ml)
- Hanging loop
- 220-240 V, 50 Hz, 180 W
- WxHxD approx. 80 x 330 x 80 mm



Incl. transparent mixing vessel (500 ml)



Can also be combined as a suitable kitchen set



PU 2

O A

Art. no. 603 540 EAN 4 004 470 035 407











Hand blender SM 357 CB

38


- Stainless steel cutter
- Soft touch housing
- Powerful 300 watt motor
- 2-level push button switch
- Removable stainless steel hand blender
- Ergonomic design handle
- Incl. mixing vessel with scale (0.6 litre)
- 230-240 V, 50 Hz, 300 W
- WxHxD approx. 65 x 370 x 65 mm

Hand blender set SMS 349 CB

- Hand blender set stainless steel hand blender, multiple chopper and whisk in one
- Working container with scale (0,5 litre)
- Powerful 200 watt motor
- 2 speeds
- Removable metal whisk
- Ergonomically shaped rubberised handle for easier handling
- Holder for metal whisk and stainless steel hand blender
- Incl. mixing vessel with scale (0.7 litre)
- Hanging loop
- 220-240 V, 50/60 Hz, 200 W
- WxHxD approx. 160 x 370 x 150 mm



Incl. mixing vessel with scale (0.6 litre)

























Hand blender set **SMS 374 CB**

- Hand blender set (hand blender, whisk, ice-crusher, food processor)
- 7 functional options
- Stainless steel housing
- Powerful 750 watt motor
- Incl. ice-crush function
- Variable speed regulation, illuminated in blue
- Incl. turbo setting for heavy applications
- Soft-touch press-button
- Ergonomically shaped, rubberized handle for easier handling
- Stainless steel mixing rod and metal whisk, detachable
- Work container with scale and refill opening (1.25 litre capacity)
- High-grade, interchangeable attachments from stainless steel for chopping and grating
- Attachments: grating, cutting and potato-grating insert, chopper, transparent mixing container with scale (0.6 litre)
- Quick and easy assembly of the accessories
- 220-240 V, 50/60 Hz, 750 W
- WxHxD approx. 70 x 390 x 70 mm

Multi express ME 467 CB

- Electrical shredding unit "Multi Express"
- Large and changeable high-quality drum attachments made of stainless steel, for quick and easy cutting or grating
- Easy handling
- 5 functions:
 - cutting (fine/coarse) of, for example, onions, cucumbers
 - grating (fine/coarse) of, for example, carrots, radishes
 - shredding for example of parmesan, nuts, potatoes
- Powerful 150 W motor
- Large filler opening (ca. Ø 60 mm)
- Wide discharge opening (ca. Ø 80 mm)
- Accessories: 2 cutting attachments (fine/coarse), 2 grating attachments (fine/coarse), 1 shredding attachment
- 220-240 V, 50/60 Hz, 150 W
- WxHxD approx. 150 x 275 x 230 mm



Variable speed regulation



Incl. whisk

















Shredding e.g. parmesan





4 004 470 037 418



















40

Multi chopper & ice-crusher



Multi chopper & ice-crusher



Multi chopper & ice-crusher

Multi chopper MZ 449 CB

- Mixing bowl (1 litres capacity)
- Removable chopping blade (rustproof)
- Incl. ice-crusher function
- Safe base
- Easy to clean
- 220-240 V, 50/60 Hz, 250 W
- WxHxD approx. 175 x 220 x 175 mm

Multi chopper MZ 449 CB

- Mixing bowl (1 litre capacity)
- Removable chopping blade (rustproof)
- Incl. ice-crusher function
- Safe base
- Easy to clean
- 220-240 V, 50/60 Hz, 250 W
- WxHxD approx. 175 x 220 x 175 mm

Multi chopper MZ 450 CB

- Mixing bowl made of glass (1.2 litres capacity)
- Removable chopping blade (stainless steel, rustproof)
- 2-level pulse switching
- Incl. ice-crusher function
- Mixing bowl suitable for microwave oven
- Safe base
- Easy to clean
- 220-240 V, 50/60 Hz, 300 W
- WxHxD approx. 175 x 265 x 175 mm



Can also be combined as a suitable kitchen set

Art. no. 604 490 4 004 470 044 904

PU 6

EAN 4 004 470 044 928 Art. no. 604 496 4 004 470 044 966 Art. no. 604 498 4 004 470 044 980

Art. no. 604 492

Art. no. 604 500

(€ €

PU 6

PU₆

PU₆















Multi chopper & ice-crusher



Multi chopper & ice-crusher

Multi chopper MZ 464 CB

- Large mixing bowl made of glass (1.5 litres capacity)
- 2 removable chopping blades (stainless steel, rustproof)
- 2-level pulse switching
- Incl. ice-crusher function
- Mixing bowl suitable for microwave
- Stainless steel insert
- Safe base
- Easy to clean
- 220-240 V, 50/60 Hz, 300 W
- WxHxD approx. 175 x 280 x 175 mm

Multi chopper MZ 1568 CB

- Mixing bowl made of glass (1.2 litres capacity)
- 2 removable chopping blades (stainless steel, rustproof)
- Incl. ice-crusher function
- Mixing bowl suitable for microwave oven
- Stainless steel insert
- Safe base
- Easy to clean
- 220-240 V, 50 Hz, 300 W
- WxHxD approx. 175 x 280 x 175 mm

Hand mixer HM 350 CB

- Powerful 250 watt motor
- 5 speed level
- Eject button
- Stainless steel dough hooks and beaters
- All accessories are dishwasher-safe
- 230 V, 50 Hz, 250 W
- WxHxD approx. 180 x 280 x 90 mm



Stainless steel insert



Can also be combined as a suitable kitchen set



4 004 470 046 410

PU 6

Art. no. 615 681 EAN 4 004 470 156 812 Art. no. 615 684 4 004 470 156 843

PU 6 PU 6

Art. no. 603 500 4 004 470 035 001





Hand mixer HM 350 CB

- Powerful 250 watt motor
- 5 speed level
- Eject button
- Stainless steel dough hooks and beaters
- All accessories are dishwasher-safe
- 230 V, 50 Hz, 250 W
- WxHxD approx. 180 x 280 x 90 mm

Hand mixer CB 334


- Powerful 200 watt motor
- 5 speeds
- Turbo switch
- Eject button
- Kneading hooks and beaters (chromium-plated)
- All accessories are dishwasher-safe
- **230 V, 50/60 Hz, 200 W**
- WxHxD approx. 200 x 260 x 80 mm



Can also be combined as a suitable kitchen set

Art. no. 603 502
EAN 4 004 470 035 025
PU 6
Art. no. 603 506
EAN 4 004 470 035 063
PU 6
Art. no. 603 508
EAN 4 004 470 035 087
PU 6

















Hand mixer set HM 381 CB

- Powerful 300 watt motor
- 5 speeds
- Turbo setting
- Eject button
- Stainless steel dough hooks and beaters (21 cm) (dishwasher-safe)
- 220-240 V, 50/60 Hz, 300 W
- WxHxD approx. 90 x 145 x 200 mm

Hand mixer set HM 377 CB

- Hand mixer in an attractive stainless steel design
- Powerful 300 watt motor
- 5 speeds
- Turbo setting
- Eject button
- Soft touch handle insert for safe handling
- Accessory: 2 stainless steel beaters, 2 stainless steel dough hooks, stainless steel blender
- Incl. convenient storage tray (also suitable for wall mounting, incl. installation material)
- All accessories dishwasher-safe
- 220–240 V, 50 Hz, 300 W
- WxHxD approx. 210 x 290 x 160 mm

Hand mixer set CB 336

- Powerful 250 watt motor
- 5 speeds
- Turbo setting
- High-speed blender attachment
- With fine steel knife, Stainless steel beaters and dough hooks
- Large mixing bowl with automatic drive
- All accessories dishwasher-safe
- 230 V, 50/60 Hz, 250 W
- WxHxD approx. 300 x 350 x 200 mm



Incl. quick blender



Incl. 2 stainless steel beaters and 2 stainless steel dough hooks



Incl. stainless steel blender



Incl. quick blender





Food processor KM 392 CB

44

- Variable electronic speed control + pulse function
- Electronic timer function
- 4.2 litre fine steel dish for max. 1,7 kg mixture preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Constant power through load-dependent, electronic speed control
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Transparent splash protection lid (detachable)
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Base station with cord storage
- Quick-action chuck for holding the tools
- 220-240 V, 50 Hz, 600 W
- WxHxD approx. 365 x 309 x 220 mm

4 004 470 039 214

Kneading and stirring machine KM 370 CB

- High-performance kneading machine with extra-powerful 1200 watt
- 7 speed settings plus pulse (0-1-2-3-4-5-6)
- 5 litre fine steel dish for max. 2 kg mixture preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Special robust gear mechanism
- Constant power through load-dependent, electronic speed control
- 60° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- $\,\blacksquare\,$ Quick-action chuck for holding the tools
- 220-240 V, 50/60 Hz, 1200 W
- WxHxD approx. 370 x 370 x 230 mm













Art. no. 603 921



PU₂









- Powerful food processor/kneading machine with extra-powerful 1200 watt max.
- 5-level switch (0-1-2-3-4)
- 5 LED control lamps (blue illuminated)
- 5.6 litre fine steel dish for max. 2.5 kg mixture preparation
- Stainless steel bowl (rustproof)
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Whisk made of stainless steel
- Special robust gear mechanism
- Electronic speed control
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit (can only be operated with the lid in position or with cover)
- Transparent splash protection lid
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- 220–240 V, 50 Hz, 1200 W max.
- WxHxD approx. 390 x 350 x 280 mm



Electronic circuit
















Art. no. 603 054 EAN 4 004 470 030 549



Art. no. 603 056 EAN 4 004 470 030 563

46

Kneading and stirring machine set

Kneading and stirring machine set

- Powerful food processor/kneading machine with extra powerful 1200 watts max.
- 5-level switch (0-1-2-3-4)
- 5 LED control lamps (blue illuminated)
- 5.6 litre fine steel dish for max. 2.5 kg mixture preparation
- Stainless steel bowl (rustproof)
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Whisk made of stainless steel
- Special robust gear mechanism
- Electronic speed control
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit (can only be operated with the lid in position or with cover)
- Transparent splash protection lid
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- 220-240 V, 50 Hz, 1200 W max.
- WxHxD approx. 390 x 350 x 280 mm

Kitchen scale

- Extra-flat digital kitchen scale
- Weighing surface made of high-quality glass
- Clearly legible LCD display
- Weights up to 5 kg (1 g scaling)
- Adjustable measuring units: g, lb-oz, ml, fl-oz
- Automatic switch-off
- On/off switch
- Tare function (additive weighed function)
- High stability through rubberized feet
- Low battery indicator
- Battery-operated: 1x CR 2032 (battery included)
- WxHxD approx. 150 x 17 x 220 mm



Electronic circuit




35° swivelling multifunction arm















Kneading and stirring machine KM 383 CB

■ High-performance kneading machine with extra-powerful 1200 watt

- Variable electronic speed control + pulse function
- 6.5 litre fine steel dish for max. 3–4 kg mixture preparation
- Aluminium die-cast stirring hook (non-stick coated) also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook (non-stick coated) for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Special robust gear mechanism
- Constant power through load-dependent, electronic speed control
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Quick-action chuck for holding the tools
- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 460 x 331 x 233 mm












Art. no. 603 834 4 004 470 038 347 PU 1







1200 Watt

48

Food processor KM 398 CB

- High-performance kneading machine with extra-powerful 1200 watt
- 8 speed level (0/1/2/3/4/5/6 + pulse function)
- 6.2 litre fine steel dish for max. 3–4 kg mixture preparation
- Aluminium die-cast stirring hook (non-stick coated) also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook (non-stick coated) for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Special robust gear mechanism
- Constant power through load-dependent, electronic speed control
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Quick-action chuck for holding the tools
- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 402 x 326 x 212 mm









35° swivelling multifunction arm

Art. no. 603 980 EAN 4 004 470 039 801











ELECTRONIC

Kneading and stirring machine incl. meat mincer KM 369 CB

- High-performance kneading machine with extra-powerful 1200 W
- Variable electronic speed control + pulse function
- 6.5 litre fine steel dish for max. 3–4 kg mixture preparation
- Glass mixing container with scale and filler opening 1.5 litre capacity
- Aluminium die-cast stirring hook (non-stick coated) also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook (non-stick coated) for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Special robust gear mechanism
- Constant power through load-dependent, electronic speed control
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm

Food processor

KM 385 CB

- Safety circuit
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Quick-action chuck for holding the tools
- 220-240 V, 50 Hz, 1200 W
- WxHxD approx. 460 x 331 x 233 mm







- High-performance kneading machine with extra-powerful 1000 W
- 6-level switch (1-2-3-4-5-6)
- 7 LED control lamps, illuminated in blue
- 5 litre fine steel dish for max. 2 kg mixture preparation
- Aluminium die-cast stirring hook also enables the uniform mixing of sizeable quantities of dough
- Aluminium die-cast dough hook for heavy doughs, e.g. yeast or bread dough
- Stainless steel whisk for light sponge cake and fluffy egg whites
- Special robust gear mechanism Electronic speed control
- 35° swivelling multifunction arm
- Unlocking mechanism for multifunction arm
- Safety circuit
- Transparent splash protection lid, detachable
- Particularly easy to operate and clean
- Non-slip stand by suction feet
- Protective cover for drive axle


Mincer

- Stainless steel blades, metal refill tray, metal tube, metal cutter, 3 steel mincing disks (5/3/2 mm)
- Biscuit attachment, sausage filler accessory
- Kebbe attachment oriental cuisine
- 220-240 V, 50 Hz, 1000 W
- WxHxD approx. 534 x 455 x 234 mm















Multi-functional food processor KM 372 CB

- Solid multi-food-processor with aluminium die-cast body
- Powerful long-life professional motor, 1400 watt max.
- Consistent performance due to load-dependent electronic rotation speed control
- 4 electronic speed programs
- Continuous speed control
- Smooth start slow mixing at the start avoids dough spattering
- Extra huge 6 litre stainless steel bowl with handle for preparation of 3 kg mixture maximum
- Confectioner set with 3 professional tools enables kneading and mixing of difficult dough and mixtures as well
- Special dough hooks for heavy dough such as e.g. yeast, bread and noodle dough
- Metal beater for lighter dough such as shortcrust, crumble, sponge cake dough and many more
- Stainless steel wire whisk with splash guard for whisking egg whites, cream, meringue and many more kinds of foods
- Splash guard cover with refill opening
- Special solid gear machine
- Swivelling multifunction arm with unlocking mechanism
- Safety switching stops at the arm being raised
- Easy to operate and to clean
- Non-slip stand due to suction cup feet
- 220-240 V, 50/60 Hz, 1400 W max.

Mixing attachment

- Glass mixing jug with scale (1.5 litre)
- For pureeing, whisking, shredding, shaking and mixing
- Perfect for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces and baby food. Also possible: smoothies, vegetable purees, dips, spice pastes and a lot more
- 6-leaf stainless steel knife for mixing without problems, easily removable for cleaning
- Safety switching operation possible only with the fitted container
- Revolutions/minute: 15000 max.

Meat mincing machine

 Metal neck, metal worm gear, 3 perforated steel discs, stainless steel knife, sausage filling attachment, attachment for extruded shortbread cookies (4 shapes), Kibbeh attachment for oriental stuffed pastries, metal refilling tray

Pasta makei

■ Create your own pasta with 4 different attachments, e.g. spaghetti, maccaroni, tagliatelle



Art. no. 603 721 EAN 4 004 470 037 210





Multi food processor KM 367 CB

- Extra-powerful motor with max. 1000 watt
- 6 speeds plus pulsed operation
- 5 litre fine steel dish for max. 2 kg mixture preparation
- Mixing vessel with scale and filling aperture, 1.5 litres capacity
- Special kneading hook (spray protection) for yeast and bread dough
- Metal stirring hook with spray protection
- Metal whisk with spray protection
- Sturdy special gears
- Swivelling multi-function arm with unlocking mechanism
- Splash guard cover with filling aperture
- Particularly easy to operate and clean
- Safety circuit
- Non-slip stand by suction feet

Mincer


■ Metal tube, metal cutter, 3 steel mincing disks, stainless steel cutter, sausage filler accessory, biscuit attachment, metal refill tray

Pasta maker

- Make pasta yourself with 5 different attachments, e.g. spaghetti, macaroni, tagliatelle
- Incl. box for storing the pasta attachments
- 220–240 V, 50/60 Hz, 1000 W max., 600 W nom.
- WxHxD approx. 250 x 575 x 400 mm







Spaghetti attachment, narrow



Tagliatelle attachment



Lasagne sheets attachment



Penne-/Macaroni attachment





1200 Watt

Food processor KM 345 CB

52

- Powerful kitchen machine with max. 550 watt motor
- 5 speed settings plus pulse (0/1/2/3/4)
- Mixing vessel with scale (1.5 litre capacity)
- High-quality, changeable utensils and work blades
- Safety switch
- Accessories: cutting disc, guillotine knife, kneading knife, grating disc, plastic spatula
- 220–240 V, 50 Hz, 550 W max.
- WxHxD approx. 380 x 380 x 250 mm

Mincer FW 447 CB

- Chrome-plated front plate
- Metal neck
- Metal feed tray
- Metal feed screw
- 3 stainless steel discs (7/5/3 mm)
- Stainless steel knife
- Reverse function
- Cookie maker attachment
- Sausage filler accessory
- Kebbe attachment oriental cuisine
- On/off switch
- Non-slip stand by suction feet
- 220-240 V, 50/60 Hz, 1200 W max.
- WxHxD approx. 330 x 355 x 170 mm















Incl. 3 stainless steel discs, cookie maker attachcompartment for accessories ment, kebbe attachment, sausage filler accessory





Universal mixer UM 378 CB

- Universal mixer for pureeing, beating, chopping, shaking and mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- For kitchen and bar
- Ice-crusher function
- Powerful max. 500 watt motor
- 5 level switch (0-1-2-3-4 + pulse/turbo function)
- Removable mixing bowl (1.5 litre capacity)
- Lid with replenishing aperture
- Cover for the filling aperture can also be used as a measuring beaker (2 cl)
- Stainless steel blade (rustproof)
- Safety circuit operation only possible with vessel in place
- Excellent stability through rubberized feet
- 220-240 V, 50/60 Hz, 500 W max.
- WxHxD approx. 160 x 400 x 160 mm

Universal mixer UM 1569 CB

- Universal mixer for pureeing, beating, chopping, shaking and mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- For kitchen and bar
- Stainless steel front
- Incl. ice-crusher function
- Powerful 600 watt motor
- 4 level switch (0-1-2 + pulse/turbo function)
- Removable mixing bowl made of solid glass with scale (1.5 litre capacity)
- Lid with replenishing aperture
- Cover for the filling aperture can also be used as a measuring beaker (5 cl)
- 4-fold stainless steel blade (rustproof)
- Safety circuit operation only possible with vessel in place
- Knife block removable for cleaning
- Excellent stability through rubberised feet
- 220-240 V, 50/60 Hz, 600 W
- Wx Hx D approx. 185 x 410 x 200 mm



Can also be combined as a suitable kitchen set



Art. no. 603 780

4 004 470 037 807











Mixing cup also suitable as drinking cup

Universal mixer **UM 1354 CB**

- Stainless steel universal mixer for pureeing, beating, chopping up, shaking and mixing
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- For kitchen and bar
- Stainless steel housing
- Ice-crusher function
- Powerful max. 650 watt motor
- 4 level switch (0-1-2-impulse)
- Rotary switch (blue illuminated)
- Removable mixing vessel made of solid glass with 1.5 litre capacity (with scale)
- Lid with replenishing aperture
- Cover for the filling aperture can also be used as a measuring beaker (2 cl)
- 6-fold stainless steel blade (rustproof)
- Safety circuit operation only possible with vessel in place
- All accessories are dishwasher-resistant
- Knife block removable for cleaning
- Excellent stability through rubberised feet
- Cable storage compartment in the base section
- 220-240 V, 50/60 Hz, 650 W max.
- WxHxD approx. 200 x 410 x 185 mm

Smoothie maker SM 386 CB

- Universal mixer for pureeing, beating, chopping up, shaking and mixing, consisting of base, mixing cup and lid with drinking aperture
- "Mix & Go" Mix your favorite shake in a few minutes. With the practical drinking aperture, you can take your freshly prepared shake with you to work, school or sports
- Ideal for preparing fruit and fitness drinks, milk shakes, cocktails, soups, salsa sauces, baby food
- Incl. recipe suggestions
- Incl. lid with drinking aperture
- Ideal for kitchen, bar and on the road
- Powerful motor, 250 W
- 1 speed (pulse)
- Detachable mixing container (600 ml)
- Stainless steel blade (rustproof)
- Safety circuit operation only possible with vessel in place
- All accessories dishwasher safe
- Excellent stability through rubberized suction pads
- 220-240 V, 50 Hz, 250 W
- WxHxD approx. 130 x 370 x 125 mm



Smoothie maker

Art. no. 613 541 4 004 470 135 411





BOMANN®

55



Citrus fruit squeezer ZP 1092 CB

- Removable bowl with aroma protective cover (1.2 litre)
- 2 press cones
- Automatic start/stop function by pressing juicer cone
- Automatic clockwise/anticlockwise operation for optimal juice extraction
- Practical cable tidy
- 230 V, 50 Hz, 40 W
- WxHxD approx. 180 x 230 x 180 mm

Automatic juicer AE 1028 CB

- Powerful 400 watt max.
- Fresh fruit and vegetable juices quickly prepared. Rich in vital substances for well-being, fitness and health
- 30% more juice and vitamins
- Removable pulp container
- Removable juice container
- On/off switch
- Lock with safety switch
- Stainless steel micro-strainer for finest juices
- Can be completely taken apart for rapid and unproblematic cleaning
- Safe stand
- 220–240 V, 50 Hz, 350–400 W max.
- WxHxD approx. 235 x 330 x 210 mm

Professional automatic juicer AE 1917 CB

- Professional automatic juicer in high-quality stainless steel housing
- Fresh fruit and vegetable juices quickly prepared. Rich in vital substances for well-being, fitness and health
- 30 % more juice and vitamins
- Extra large filler spout (75 mm Ø)
- Extracts the juice from apples, carrots and other fruits within seconds without having to chop them
- Powerful 1000 watt motor max.
- 2 speed settings (0-1-2) for different fruit hardness
- High volume pulp container (approx.2.0 litre capacity)
- Open stainless steel juice spout
- Flexible anti-drip juice spout no splashes and no wiping
- Lock with safety switch
- Stainless steel sieve for finest juices
- Can be completely disassembled quick and easy cleaning
- High stability
- 230 V, 50 Hz, 1000 W max.
- WxHxD approx. 300 x 400 x 220 mm









56

Glass kitchen scale KW 1515 CB

- Extra-flat digital kitchen scale
- Weighing surface made of highquality glass
- Clearly legible LCD display
- Weights up to 5 kg (1 g scaling)
- Adjustable measuring units: g, lb-oz, ml, fl-oz
- Automatic switch-off
- On/off switch
- Tare function (additive weighed function)
- High stability through rubberized feet
- Low battery indication
- Battery-operated: 1 x CR 2032 (batterie supplied)
- WxHxD approx. 150 x 17 x 220 mm



Can also be combined as a suitable kitchen set

Art. no. 615 151 PU₆ 4 004 470 637 304 Art. no. 615 155 PU₆ 4 004 470 151 558 Art. no. 615 156 PU₆ EAN 4 004 470 151 565 Art. no. 615 157 PU 6 4 004 470 151 572

CE

Kitchen scale KW 1421 CB

Stainless steel

- Extra-flat digital kitchen scales with permanent clock und temperature information
- Stainless steel weighing surface
- Clearly legible, high-quality multifunction LCD display
- Weights up to 5 kg (1 g scaling)
- Adjustable measuring units: kg, g, lb, oz
- Automatic switch-off for weighing function
- On/off switch
- Tare function (additive weighed function)
- Battery-operated: 3 x AAA (batteries supplied)
- WxHxD approx. 160 x 18 x 230 mm

Food dryer DR 448 ČB

- Foot dryer dries fruit, vegetables, herbs, meat etc. Rich in essential minerals for well-being, fitness and health
- 2 temperature stages
- Variable use by 5 large, transparent, and stackable levels (easy cleaning)
- Circulation fan, air circulation function
- Overheating protection
- 230 V, 50 Hz, 300 W
- WxHxD approx. 330 x 315 x 327 mm



Variable use by 5 large, transparent, and stackable levels (easy cleaning)

Art. no. 614 211 4 004 470 142 112

(€

PU 6

Art. no. 604 480 4 004 470 616 996









Bag sealer FS 1014 CB

- Ideal for dividing food into portions
- Electronically controlled bag sealer
- Seals and separates in one operation
- Strong extraction pump
- With bag storage view window
- 2 indicator lights
- Cord storage in base
- Incl. a roll of film (3 m)
- 230 V, 50 Hz, 100 W
- WxHxD approx. 330 x 80 x 125 mm

Spare rolls:

Art. no. 282 020

4 004 470 820 201 PU 10 **EAN**

Fondue deep fat pan FFR 1290 CB

- Cool touch housing
- Capacity: 1 litre oil/frying fat
- Deep frying basket with removable
- Continuously variable thermostat
- Control panel with display
- 6 fondue forks marked in colour
- Protective ring against spray/fork holder
- Changeable odour and fumes filter
- Overheating protection
- 230 V, 50 Hz, 900 W
- WxHxD approx. 190 x 240 x 190 mm

Deep fat fryer FR 2223 CB

- Cool touch housing
- Capacity: approx. 2 litre oil/frying fat
- Oil container (non-stick coated)
- Large frying basket, can be raised and lowered with the lid closed
- Pop-up lid with viewing window (removable)
- On/off switch (0-1)
- Continuously adjustable thermostat with control lamp
- 130 °C 190 °C
- 2 control lamps for power and heating
- Changeable odour and fumes filter
- Collecting container for condensation
- 2 recessed grips for safe transport
- 230 V, 50 Hz, 1800 W
- WxHxD approx. 245 x 260 x 320 mm










Art. no. 612 900 4 004 470 129 007






Deep fat fryer FR 2287 CB

- Cool touch housing
- Capacity: 3 litre of oil/frying fat
- Removable oil container (non-stick coated)
- Large frying basket; can be raised or lowered with the lid closed
- Pop-up lid with viewing window
- Continuously adjustable thermostat
- 130 °C 190 °C
- 30 minute timer with shut-off signal
- 2 control lamps for temperature/operation
- Changeable odour and fumes filter
- Cable rewind
- 230 V, 50 Hz, 2000 W
- WxHxD approx. 260 x 260 x 420 mm

Stainless steel deep fat fryer FR 2264 CB

- Housing, lid, heating coil made of stainless steel
- Cool zone technology heating coils immersed directly in the oil for rapid heating and for odorless frying
- Capacity: 3 litre of oil/frying fat
- Continuously adjustable thermostat with control lamp
- Removable fat container (enamelled)
- Stainless steel heating coil (removable)
- Drip tray
- Handles (thermally insulated)
- Cord storage
- Overheating protection
- 230 V, 50 Hz, 2000 W
- WxHxD approx. 215 x 240 x 405 mm







(€ €







Rice cooker RK 2282 CB

- Rice cooker and steam cooker in one
- Rice cookler for easy preparation and keeping warm all types of rice, pulses, soups, cereals
- Stainless steel housing
- Additional aluminium steamer insert for vitaminretaining steam cooking of e.g. vegetables, potatos and fish
- Safety glass lid with steam outlet
- Removable, non-stick-coated part
- For max. 1300 g of rice (uncooked weight) yields approximately 2500 g cooked rice
- Automatic keep warm mode
- Automatic switch-off (energy-saving)
- On/off switch
- Cool touch handles
- Removable supply cable
- Safety function: can only be switched on when pot is in position
- 3 control lamps for cooking, keeping warm and mains
- Accessories: measuring beaker (160 ml max.), rice spoon
- 220-240 V, 50 Hz, 700 W
- WxHxD approx. 310 x 310 x 260 mm



Incl. aluminium steamer insert

Bread maker CB 594

- Fully automatic dough and bread preparation (kneading, rising, baking)
- Non-stick coated baking form (removable)
- 3 litre capacity (corresponds to about 1300 g bread)
- 9 baking programs / 31 available settings
- Programs: normal, white bread, wholemeal, sweet bread, dough, cake, sandwich, only baking, quick bake function
- Marmalade program
- Warming function
- Electronic control panel with LCD display and audible signal
- 13 hour timer
- Variably settable dough quantity
- Variable crust browning control (light, medium, dark)
- Cool touch housing
- Lid with viewing window
- 2 kneading pegs
- Accessories: measuring beaker and spoon
- 230 V, 50 Hz, 800 W
- WxHxD approx. 400 x 290 x 260 mm

Bread maker BBA 566 CB

- Fully automatic dough and bread preparation (kneading, rising, baking)
- Non-stick coated baking form (removable)
- 2 litre capacity (corresponds to about 1000 g bread)
- 12 baking programs / 39 available settings
- Programs: normal, white bread, wholemeal, fast bake, sweet bread, ultra fast bake I, ultra fast bake II, dough, cake, sandwich, bake
- Marmalade program
- Extra bake function
- Warming function
- Electronic control panel with backlight LCD display
- 13 hour timer
- Variably settable dough quantity
- Variable crust browning control (light, medium, dark)
- Cool touch housing
- Lid with viewing window (removable)
- 1 kneading peg
- Accessories: measuring beaker and spoon
- 230 V, 50 Hz, 600 W
- WxHxD approx. 405 x 305 x 265 mm




(E



4 004 470 228 212

PU 2

O Ar





PU 2

Art. no. 605 660 EAN 4 004 470 056 600









Hot dog maker & egg boiler

Steam cooker DG 1218 CB

60

- Steam cooker for the healthy cooking of food without burning vitamins
- 3 steam cooker containers (1 lid, 1 rise bowl)
- Semi-transparent water tank (1.6 litre)
- Drip bowl for the collection of juices
- 60 minute timer
- Water replenishable during operation
- Water level indicator
- Easy to clean
- Overheating protection
- 230 V, 50 Hz, 750 W max.
- WxHxD approx. 300 x 420 x 210 mm

Steam cooker DG 2286 CB

- Steam cooker for the healthy cooking of food without burning vitamins
- Water-inflow-control faster steam generation
- 3 steam cooker containers, 1 lid, 1 rise bowl
- High-grade steel base
- Programmable digital timer
- Incl. LCD display (blue illuminated)
- Incl. power control light
- Drip pan for collecting liquids
- Water level indicator
- Add more water during operation
- Easy to clean
- Overheating protection
- 220-240 V, 50/60 Hz, 700-800 W
- WxHxD approx. 310 x 445 x 240 mm

Hot dog maker HDM 462 EK N CB

- Hot dog maker and egg boiler in one
- For 1 to 14 small sausages (e. g. "Frankfurter", "Vienna sausages")
- Heated stainless steel skewer
- Preparation of up to 6 eggs
- Removable egg holder
- Transparent steam tank (removable)
- Non-stick coated water bowl
- 2 separate switches for spike and steamer (blue illuminated)
- Incl. measuring cup with egg pricker
- 230 V, 50 Hz, 380 W
- WxHxD approx. 235 x 270 x 160 mm



High-grade steel base incl. LCD display / timer with backlight





(€ €

Art. no. 612 185 4 004 470 121 858

PU 4

Art. no. 622 861

4 004 470 228 618

PU 2

Art. no. 604 620 4 004 470 046 205

PU₆









Contact grill KG 2242 ČB

- Contact grill for double-sided, fat-free grilling
- Fat drainage channel and drip tray (tray removable for easy cleaning)
- 2000 watts
- Stainless steel housing
- Continuously adjustable thermostat
- Short cooking times
- Non-stick grill plates with extra deep grooves for strong grill pattern and smooth fat drainage
- Large, heat-insulated handle
- 2 control lamps for power supply and heating
- Temperature "ready" display
- Large grill area: approx. 29.5 x 23.5 cm
- Cord storage
- Versatile, can be used for e.g. panini, steaks, fish or vegetables
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 335 x 145 x 330 mm

surface

■ Contact grill for double-sided, fat-free grilling

■ Fat drainage channel and drip tray (tray removable for easy cleaning)

Barbecue grill - 180° opening enables grilling on a large

- Stainless steel housing
- Continuously adjustable thermostat
- Short cooking times

KG 2284 ČB

- Scratch-resistant, ceramic coated grill plates with extra deep grooves for strong grill pattern and optimal fat runoff
- Large, heat-insulated handle
- 2 control lamps for power supply and heating
- Temperature "ready" display
- Large grill areas: 2x approx. 29.5 x 23.5 cm
- Cord storage
- Versatile, can be used for e.g. panini, steaks, fish or vegetables
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 356 x 145 x 336 mm



Stainless steel housing









Barbecue grill - 180° opening enables grilling on a large surface



Art. no. 622 421 4 004 470 224 214

PU₃



Art. no. 622 840 4 004 470 228 403

PU₃











Ceramic coated

Party pan PP 2233 CB

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Quick heating and long keep warm function
- Removable supply line with continuously adjustable thermostat
- Anti-stick pan for easy cleaning
- Ø 32 cm, depth: 3.5 cm
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 380 x 160 x 400 mm

Party pan PP 2233 C CB

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Quick heating and long keep warm function
- Removable supply line with continuously adjustable thermostat
- Ceramic coated pan (scratch-proof and easy to clean)
- Ø 32 cm, depth: 3.5 cm
- Heat-resistant glass lid with handle
- Heat-insulated carrying handle
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 380 x 160 x 400 mm



Scratch resistant ceramic coating





Party pan PP 1291 CB

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Quick heating and long keep warm function
- Removable supply line with continuously adjustable thermostat
- Non-stick coated pan (easy to clean)
- Ø 38 cm, depth: 4 cm
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- 220-240 V, 50 Hz, 1400 W
- WxHxD approx. 450 x 140 x 400 mm

Party pan PP 2283 C CB

- Party pan for cooking, roasting, steaming, defrosting and with keep warm function
- Quick heating and long keep warm function
- Removable supply line with continuously adjustable thermostat
- Ceramic coated pan (scratch-proof and easy to clean)
- Ø 42 cm, depth: 9 cm
- Heat-resistant glass lid with handle
- Heat-insulated carrying handles
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 430 x 145 x 490 mm



Scratch resistant ceramic coating



Art. no. 612 910

4 004 470 129 106



Art. no. 622 832 4 004 470 228 328



64

- Stainless steel fondue pot, rustproof (Ø 18.5 cm)
- Filling capacity up to max. 1.2 litres
- Fondue pot with encapsulated sandwich base for better heat distribution - also usable individually on different hobs (gas, electric, glass ceramic, halogen)
- Separate, stable hotplate made of stainless steel
- Continuously adjustable thermostat (illuminated)
- Thermal cut-out
- Thermal fuse
- Stainless steel splash protection with fork holder (removable)
- Accessories: 8 stainless steel fondue forks, color-coded
- 220-240 V, 50/60 Hz, 1200-1400 W
- WxHxD approx. 285 x 180 x 185 mm

Raclette grill **RG 2247 CB**

- Cool touch housing
- For grilling and browning
- Removable grill plate
- 8 pans
- 8 wooden spatulas
- Continuously adjustable thermostat
- Control lamp
- Non-stick coating on the grill plates and pans (easy to clean)
- Grill area: approx. 40.5 x 30 cm
- Safe base through rubberised feet
- 220-240 V, 50/60 Hz, 1200-1400 W
- WxHxD ca. 430 x 130 x 340 mm

2 in 1 Raclette grill **RG 2279 CB**

- Cool touch housing
- For grilling and browning
- Turning iron plate Combination grill area for grilling fish (smooth surface) or meat (exta deep grooves for an intense grill pattern)
- Natural grill stone for a healthy, low-fat grilling
- Total grill area: ca. 46 x 23 cm (2x ca. 23 x 23 cm)
- 8 pans, 8 wooden spatula
- Continuously adjustable thermostat (blue illuminated)
- Non-stick coating on the grill plates and pans (easy to clean)
- 220-240 V, 50/60 Hz, 1200-1400 W
- WxHxD approx. 465 x 150 x 235 mm



Continuously adjustable thermostat (illuminated)



8 wooden spatulas



Natural grill stone for a healthy, low-fat grilling



adjustable thermostat (illuminated in blue)





Combination grill area for grilling fish or meat (turning iron plate)



Art. no. 622 481

4 004 470 224 818

PU 4

Art. no. 622 471 4 004 470 224 719

PU 3

Art. no. 622 791

4 004 470 227 918

PU₂









Barbecue standing grill BQS 2244 CB

- Stand grill in an attractive design with low smoke emission and low smell
- Continuously adjustable thermostat with control lamp
- Chromed grill grid
- Removable grill and heating elements for easy cleaning
- Cool touch housing
- Metal drip tray
- Wind protection
- Additional tray
- Can be converted to a table grill
- Grill height: approx. 80 cm
- Grilling surface: 35.5 x 24.5 cm
- **230 V, 50 Hz, 2000 W**
- WxHxD approx. 515 x 855 x 390 mm

Barbecue table grill BQ 2243 CB

- Table grill in an attractive design with low smoke emission and low smell
- Continuously adjustable thermostat with control lamp
- Chromed grill grid
- Removable grill and heating elements for easy cleaning
- Cool touch housing
- Metal drip tray
- Wind protection
- Grilling surface: 36 x 25 cm
- 230 V, 50 Hz, 2000 W
- WxHxD approx. 515 x 95 x 375 mm

Barbecue table grill BQ 1240 N CB

- Table grill in an attractive design without fire and smoke
- Cool touch housing
- On/off switch with indicator lamp
- Removable grill and heating elements for easy cleaning
- Metal drip tray
- Grilling surface: 35.5 x 24.5 cm
- 230 V, 50 Hz, 2000 W
- WxHxD approx. 480 x 100 x 360 mm





Grill rack and warming rack (enameled)




Convenient storage basket for different grilling utensils





Gas grill GG 2262 CB



- Sturdy grill hood with integrated temperature display
- Control knobs for continuous temperature setting
- 48,5 x 37,5 cm grill area comprising of one enameled grill rack (dishwasher safe)
- 48,5 cm long warming rack (enameled)
- Removable grease collection tray for easy cleaning
- 2 x burners
- Housing and side trays made of powder-coated steel
- Two wheels for convenient movement
- Convenient storage basket for different grilling utensils
- Large storage room / Storage for gas bottle
- Including gas pressure reduction valve and gas tube for Germany and Austria

Specifications

- Burners: 2
- Main burner: 2x 2,75 kW / 5,5 kW
- Gas consumption: 400 gr/h
- Operating pressure: 50 mbar
- Ignition: Piezo ignition system
- Gas category: 13B/P(50)
- Gas type: Butane, propane, or their mixtures
- Target destinations: D, A, CH
- CE certification: Intertek institute, certification number: 0359BU1034
- WxHxD approx. 970 x 1000 x 550 mm



Integrated temperature display





Convection oven HLO 2280 CB

- Gentle cooking by circulating hot air, low-fat and vitamin-preserving
- Many different uses for baking, roasting, grilling, steaming, braising, defrosting, heating, barbecuing (easy to use)
- Halogen heating element for faster heating
- Saves time and energy: requires up to 45 % less energy than a conventional oven
- Ideal for small kitchens and mobile use
- Continuously adjustable thermostat from 0 200 °C
- 12 litre interior
- Glass bowl: Ø 33 cm
- Container made of safety glass heat and scratch-resistant (dishwasher-safe)
- $\,\blacksquare\,$ 60 minute timer with alarm when cooking is completed
- Control lamps for operation and temperature
- Safety switch, practical safety handle
- Heat-insulated carrying handles
- Accessories: upper and lower grid, steamer insert, tongs, skewers, lid holder
- 220-240 V, 50/60 Hz, 1200-1400 W
- WxHxD approx. 380 x 335 x 355 mm

Mini oven MB 2245 CB

- 8 litre capacity
- Top and bottom heat
- 15 minute timer
- 2 quartz heating elements
- Pull-out grill grid
- Baking tray
- Drawer for crumbs
- Overheating protection
- 220-240 V, 50/60 Hz, 800 W
- WxHxD approx. 365 x 220 x 250 mm






Lower/upper grid Steamer insert















Multi pizza oven MPO 2246 CB

- Pizza oven ideal for grilling and crisping up
- Large grill, ideal for pizza (26 x 25 cm)
- Including baking tray (23.5 x 22 cm)
- Capacity: approx. 12 litre
- Top and bottom heat (combined operation possible)
- 4-step switch (top heat, bottom heat, top and bottom heat combined, off)
- 2 quartz heating elements
- 60 minute timer with end signal
- Stainless steel handle
- Crumb tray
- Overheating protection
- 220-240 V, 50/60 Hz, 1000 W
- WxHxD approx. 375 x 220 x 330 mm

Multi oven MBG 2249 CB

- 28 litre capacity
- Circulating air
- Top and bottom heat, combined operation
- Revolving spit
- 60 minute timer with end signal
- 5 level switch (top/bottom/top and bottom heat/ revolving spit/off)
- Variable temperature control (100 °C 230 °C)
- Control lamp
- Includes grill grid, baking tray, revolving spit
- Includes tongs for removing the grill grid and baking tray, tool for removing the revolving spit
- Large viewing window
- 220-240 V, 50/60 Hzz, 1500 W
- WxHxD approx. 520 x 335 x 420 mm




Incl. baking tray (23.5 x 22 cm)



Incl. revolving spit





4 004 470 224 610

PU 4



Art. no. 622 490 EAN 4 004 470 224 900



Multi oven MBG 2252 CB

- 28 litre capacity
- Circulating air
- Top and bottom heat, combined operation
- Revolving spit
- 60 minute timer with end signal
- 6 level switch
 - Top and bottom heat
 - Top and bottom heat + circulating air
 - Top heat + circulating air
 - Top heat + revolving spit
 - Top and bottom heat + revolving spit + circulating air
 - Off
- Variable temperature control (100°C–230°C)
- Control lamp
- Includes grill grid, baking tray, revolving spit
- Includes tongs for removing the grill grid and baking tray, tool for removing the revolving spit

PU 1


- Large viewing window
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 495 x 380 x 330 mm




Incl. revolving spit

Mini kitchen KK 2250 CB

- 2 hotplates
 - 1x Ø 18.5 cm, 1500 watt
 - 1x Ø 15.5 cm, 1000 watt
- 2 different operating controls for the hotplates:
- Small rotary switch level 0–4
- Large rotary switch level 0, 850, 1100 and 1500 watt
- 28 litre capacity
- Combined operation (baking and cooking at the same time)
- Top and bottom heat (900/600 watt)
- Possible baking/grilling alternatives:
 - Top and bottom heat
 - Only bottom heat
 - Top heat
- Infinitely adjustable thermostat
- Control lamp
- Oven door with viewing window
- Including grill grating, baking sheet, and crumbs drawer, as well as hookable handle for pulling out the sheet/grating
- Power supply:
 - 600 watt oven (bottom heat), 900 watt oven (top heat)
 - 1000 watt hotplate (small), 1500 watt hotplate (large)
 - 3400 watt (total power consumption)
- 220-240 V, 50 Hz, 3400 W
- WxHxD approx. 515 x 360 x 390 mm













Microwave MW 2235 CB

70

- 700 watt microwave
- 20 litre oven capacity
- 5 levels
- Rotating plate, Ø approx. 25.5 cm
- 35 minute timer with end signal
- Oven light
- Large viewing window
- 230 V, 50 Hz, 1050 W
- WxHxD approx. 440 x 255 x 340 mm

Microwave MW 2288 CB

- 700 watt microwave
- 20 litre oven capacity
- 5 levels
- Rotating plate, Ø approx. 24.5 cm
- 30 minute timer with end signal
- Oven light
- Large viewing window
- 230 V, 50 Hz, 1200 W
- WxHxD approx. 455 x 265 x 340 mm

Art. no. 622 350
EAN 4 004 470 531 329
Art. no. 622 351
EAN 4 004 470 223 514

(€ €

PU 1

PU 1

Art. no. 622 880
EAN 4 004 470 228 809
PU 1
Art. no. 622 889
EAN 4 004 470 228 892
Art. no. 622 881
EAN 4 004 470 228 816
PU 1



BOMANN®







Microwave with grill MWG 2237 CB

- 700 watt microwave
- 1000 watt grill
- 20 litre oven capacity
- 5 microwave power levels
- 3 levels in combined operation (grill/microwave)
- 1 grill level
- Rotating plate: Ø approx. 25.5 cm
- Grilling grid: Ø approx. 21.0 cm
- 35 minute timer with end signal
- Oven light
- Large viewing window
- 230 V, 50 Hz, 1050 W
- WxHxD approx. 440 x 255 x 340 mm


Microwave with grill MWG 2289 CB

- 700 watt microwave
- 900 watt grill
- 20 litre oven capacity
- 5 microwave power levels
- 3 levels in combined operation (grill/microwave)
- 1 grill level
- Rotating plate: Ø approx. 24.5 cm
- Cooking grid: Ø approx. 21.0 cm
- 30 minute timer with end signal
- Oven light
- Large viewing window
- 230 V, 50 Hz, 1200 W
- WxHxD approx. 455 x 265 x 340 mm

PU₁

4 004 470 531 343 PU 1





EAN 4 004 470 228 908 Art. no. 622 899

EAN 4 004 470 228 991 Art. no. 622 891

4 004 470 228 915

PU 1

PU 1





72

Convection



Microwave with grill and convection MWG 2285 H CB

- Stainless steel front
- 800 watt microwave power
- 1350 watt grill
- 1350 watt convection
- Quick-start function
- 20 litre capacity
- 11 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 4 levels in combined operation (convection/microwave)
- 1 grill level
- 10 temperature settings for convection
- 9 automatic programs incl. defrost program
- Rotating plate, Ø approx. 24.5 cm
- Grilling grid, Ø approx. 21.0 cm
- 95 minute timer with end signal
- Quartz heating elements
- Digital clock
- Child lock
- Oven light
- 230 V, 50 Hz, 1350 W
- WxHxD approx. 455 x 262 x 375 mm

Microwave with grill and convection MWG 2281 H CB

- Stainless steel housing
- Reflecting glass front
- 800 watt microwave
- 1200 watt grill
- 1200 watt convection
- 23 litre capacity
- 4 microwave power levels
- 3 levels in combined operation (microwave/grill)
- 10 levels in combined operation (microwave/convection)
- 1 grill level
- 10 temperature settings for convection
- 9 automatic programs
- Defrost program
- Rotating plate, Ø approx. 27.0 cm
- Grilling grid, Ø approx. 22.0 cm
- 95 minute timer with end signal
- Quartz heating elements
- Digital clock
- Child lock
- Oven light
- 230 V, 50 Hz, 1300 W
- WxHxD approx. 485 x 295 x 405 mm













Stand-alone/ **Under-cabinet mounting**

Double-grill microwave MWG 2218 H CB

- Stainless steel housing
- Stainless steel interior
- Double grill for, for example, crispy pizza, baguettes, soufflés, etc. (1200 watt top heat, 500 watt lower heat)
- 900 watt microwave
- 1700 watt double grill
- 2300 watt convection
- Quartz top heating element
- 25 litre capacity
- 5 microwave power levels
- 10 temperature settings convection
- 10 automatic programs
- Defrost program
- Quick-start program
- Incl. pizza program and pizza stone, Ø approx. 30.0 cm
- Incl. enameled rotating plate, dishwasher-safe and scratchproof, Ø approx. 31.5 cm
- Grilling grid, Ø approx. 25.0 cm
- 95 minute timer with end signal
- Start delay
- Digital clock
- Child lock
- Oven light
- 230 V, 50 Hz, 1450 W
- WxHxD approx. 510 x 300 x 430 mm



Pizza function incl. pizza stone

MWG 2211 U CB

Combined microwave oven with grill

- Stainless steel front ■ 800 watt microwave
- 1000 watt grill
- 20 litre capacity
- 5 microwave power levels
- 2 levels in combined operation
- 1 grill level
- 8 automatic programs
- Defrost programs, selectable according to time and weight
- Quick-start program
- Rotating plate, Ø approx. 24.5 cm
- Grilling grid, Ø approx. 21.0 cm
- 95 minute timer with end signal
- Easy Tronic, digital clock, child lock
- Oven light
- Large viewing window
- Can be positioned as required or used as a built-under appliance (incl. installation material)
- 230 V, 50 Hz, 1250 W
- Wx Hx D approx. 460 x 285 x 370 mm



Built-under appliance




(€

Art. no. 622 181

4 004 470 221 817














Built-in microwave with grill MWG 2215 EB

- Built-in microwave with frame
- Stainless steel front, stainless steel interior
- 800 watt microwave
- 1000 watt grill
- 5 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 1 grill level
- 8 automatic programs
- Defrost programs, selectable according to time and weight
- 20 litre capacity
- Rotating plate, Ø approx, 24.5 cm, grilling grid, Ø approx. 21 cm
- 95 minute timer with end signal
- Start delay ■ Child lock Oven light
- 230 V, 50 Hz, 1250 W
- Appliance (WxHxD): 465 x 359 x 339 mm Appliance with frame (WxHxD): 596 x 384 x 339 mm
- Weight: approx. 14 kg

- Built-in microwave with frame
- Stainless steel front, stainless steel interior
- 900 watt microwave

MWG 2216 H EB

- 1100 watt grill
- 2500 watt convection function
- 5 microwave power levels
- 2 levels in combined operation (grill/microwave)
- 2 levels in combined operation (convection/microwave)
- 1 grill level
- 10 temperature settings for convection (130 °C-220 °C)
- 10 automatic programs
- Defrost program, quick-start program
- 25 litre capacity
- Rotating plate, Ø approx, 31,5 cm, grilling grid, Ø approx. 27,5 cm



- 230 V, 50 Hz, 1450 W
- Appliance (WxHxD): 520 x 362 x 470 mm ■ Appliance with frame (WxHxD): 595 x 460 x 470 mm
- Weight: approx. 21 kg

Art. no. 622 151 4 004 470 221 510

PU 1

Art. no. 622 161 4 004 470 221 619








Built-in microwave with grill and MWG 2265 H EB convection

- Built-in microwave oven in frameless design
- Stainless steel front/interior
- Multi-function display (black/white)
- Control knob (illuminated)
- 900 watt microwave
- 1100 watt grill
- 2500 watt convection
- 5 microwave power levels
- 4 levels in combined operation (microwave/grill/convection)
- 1 grill level
- 10 temperature settings for convection (130°C-220°C)
- 10 automatic programs
- Defrost program, quick-start program
- 25 litre capacity



■ Appliance with frame (WxHxD): 595 x 390 x 495 mm

PU 1

Single hotplate EKP 5027 CB

- Hotplate, Ø approx. 180 mm, 1500 watt
- Infinitely adjustable thermostat
- Control lamp
- Heat-resistant finish
- High stability
- 230 V, 50 Hz, 1500 W
- WxHxD approx. 360 x 70 x 285 mm

Double hotplate DKP 5028 CB

- 2 hotplates
- 1 x Ø approx. 180 mm, 1500 watt
- 1 x Ø approx. 150 mm, 1000 watt
- 2 continuously variable thermostats
- 2 control lamps
- Heat-resistant finish
- High stability
- 230 V, 50 Hz, 2500 W
- WxHxD approx. 570 x 70 x 285 mm

Art. no. 622 651 4 004 470 226 515

(€ €

■ Weight: approx. 21 kg









Single induction hotplate EKI 5026 CB

- Induction hotplate with high-quality, eco-friendly glass-ceramic-surface
- Heating only takes seconds thanks to induction technology
- Scratch-resistant smooth cooking area, very easy to clean
- ECO-Save 55 % time savings compared to conventional cooking plates, no preheating phase, energy saving
- Automatic pot detection automatic switch-off in the case of non-induction pots
- 10 power levels and 10 temperature levels with LED indication (60° C 240° C)
- Electronic sensor touch control panel with display for comfortable operation
- 3 LED control lamps
- 180 minute timer with automatic switch-off and end signal
- Countdown indication
- Automatic switch-off after 120 min. without operation
- Automatic switch-off after removal of the pot
- Child lock
- High stability through non-slip feet
- 220-240 V, 50/60 Hz, 2000 W
- WxHxD approx. 290 x 65 x 370 mm

Single induction hotplate EKI 5014 CB

- Induction hotplate with high-quality, eco-friendly
- Schott-Ceran® glass-ceramic surface
- Heating only takes seconds thanks to induction technology
- Scratch-resistant smooth cooking area, very easy to clean
- ECO-Save 55 % time savings compared to conventional cooking plates, no preheating phase, energysaving
- Automatic pot detection automatic switch-off in the case of non-induction pots
- 10 power levels and 10 temperature
- Electronic control panel with display
- Easy to handle because of oversized buttons
- Power indication on LED display
- 180 minute timer with automatic switch-off and end signal
- Automatic switch-off after 120 min. without operation
- Automatic switch-off 15 sec. after removal of the pot
- 7 LED control lamps
- High stability through non-slip feet
- 230 V, 50 Hz, 2000 W
- WxHxD approx. 280 x 65 x 360 mm

Double induction hotplate DKI 5029 CB

- Induction double hotplate with high-quality, eco-friendly glassceramic-surface
- Heating only takes seconds thanks to induction technology
- Scratch-resistant smooth cooking area (very easy to clean)
- ECO-Save 55% time savings compared to conventional cooking plates, no preheating phase, energy saving
- Automatic pot detection automatic switch-off in the case of noninduction pots
- LED display
- Each hob with 16 function levels 6 power levels and 10 temperature levels (60 °C-240 °C)
- Electronic Sensor Touch control panel with display for comfortable operation
- 2x 3 LED indicator lights
- 180 minute timer with automatic switch-off and end signal
- Countdown indication on the LED display
- Automatic switch-off after 120 min. without operation
- Automatic switch-off after removal of the pot
- High stability through non-slip feet
- 220-240 V, 50/60 Hz, 3500 W max.
- WxHxD approx. 600 x 75 x 355 mm



Art. no. 650 261 EAN 4 004 470 502 619

PU 4

Art. no. 650 141
 EAN 4 004 470 501 414



Art. no 650 291 EAN 4 004 470 502 919











BOMANN®



Textile cleaner MC 701 CB / MC 702 CB

- Ideal for the easy removal
- Transparent lint container
- Battery operation: 2x 1.5 V (UM3) (batteries not included)
- WxHxD approx. 36 x 76 x 76 mm
- Ideal for the easy removal
- Battery operation: 2x 1.5 V (UM3) (batteries not included)
- WxHxD approx. 60 x 85 x 170 mm

Art. no. 607 010 (MC 701 CB) EAN 4 004 470 070 101 Art. no. 607 020 (MC 702 CB) EAN 4 004 470 070 200

PU 20 PU 20

Steam iron DB 785 CB

- Special stainless steel sole plate
- Steam jet function, spray device and vertical steam
- Variable temperature control
- Continuous steam regulation
- Dry function (steam can be switched off)
- Practical self-cleaning function
- Transparent water container (approx. 135 ml)
- Cable attached via 360° turnable joint
- Indicator light
- 220-240 V, 50/60 Hz, 1700 W
- WxHxD approx. 110 x 140 x 260 mm

Steam iron **DB 765 CB**

- Special stainless steel sole plate
- Steam jet function, spray device and vertical steam
- Variable temperature control
- 3-level steam control
- Dry function (steam can be switched off)
- Practical self-cleaning function
- Transparent water container (approx. 130 ml)
- Cable attached via 360° turnable joint
- Indicator light
- 230 V, 50 Hz, 2000 W
- WxHxD approx. 115 x 155 x 275 mm

Steam iron DB 780 CB

- Special stainless steel sole plate
- Steam jet function, spray device and vertical steam
- Variable temperature control
- Continuous steam regulation
- Dry function (steam can be switched off)
- Practical self-cleaning function
- Transparent water container (approx. 200 ml)
- Cable attached via 360° turnable joint
- Indicator light
- 220-240 V, 50/60 Hz, 2200 W
- WxHxD approx. 110 x150 x 275 mm

(€ €





Ceramic

Steam iron DB 766 CB

- Special stainless steel sole plate
- Steam jet function, spray device and vertical steam
- Variable temperature control
- Steam control
- Dry function (steam can be switched off)
- Anti-calc system
- Anti-drip function
- Practical self-cleaning function
- Transparent water container (approx. 200 ml)
- Open, rubberised handle
- Cable attached via 360° turnable joint
- Indicator light
- 220-240 V, 50/60 Hz, 2500 W
- WxHxD approx. 124 x 144 x 280 mm

Steam iron DB 784 CB

- Special stainless steel sole plate
- 7 functions:
- Spray device
- Steam jet function
- Vertical steam
- Dry function (steam can be switched off)
- Self-cleaning function (switchable)
- Anti-drip function
- Anti-calc system
- Variable temperature control
- Continuous steam regulation
- Transparent water container (approx. 360 ml)
- Cable attached via 360° turnable joint
- Indicator light
- 220-240 V, 50/60 Hz, 2500 W
- WxHxD approx. 115 x 150 x 290 mm

Steam iron **DB 781 CB**

- Scratch-resistant ceramic sole plate with outstanding sliding behaviour
- 5 functions:
- Spray device
- Steam jet function
- Vertical steam
- Dry function (steam can be switched off)
- Self-cleaning function (switchable)
- Variable temperature control
- Continuous steam regulation
- Transparent water container (approx. 250 ml)
- Cable attached via 360° turnable joint
- Indicator light
- Measuring cup
- 220-240 V, 50/60 Hz, 1800-2200 W
- WxHxD approx. 118 x 134 x 280mm



Easy-running, scratchresistant ceramic sole plate







Art. no. 607 841 4 004 470 078 411



Art. no. 607 810 4 004 470 078 107

PU₆





Incl. 2 anti-scale cartridges

Steam iron DB 782 CB

80

Ceramic

- Scratch-resistant ceramic sole plate with outstanding sliding behaviour
- 7 functions:
 - Spray device
- Steam jet function
- Vertical steam
- Dry function (steam can be switched off)
- Self-cleaning function (switchable)
- Anti-drip function
- Anti-calc filter system
- Variable temperature control
- 4-level steam control (0-1-2-3)
- Transparent water container (approx. 360 ml)
- Rubberised handle for non-slip handling
- Rubberised rest for excellent stability
- Cable attached via 360° turnable joint
- Indicator light
- 220-240 V, 50/60 Hz, 2400-2800 W
- WxHxD approx. 120 x 160 x 300 mm



Easy-running, scratchresistant ceramic sole plate

Steam ironing unit **DBS 792 CB**

- Scratch-resistant ceramic sole plate with outstanding sliding behaviour
- Steady-state heat resistance and optimal steam generation
- Even and consistent heat distribution through 20 spray
- With steam jet function (horizontal and vertical)
- Constant high steam output: max. 80 g/min.
- Removable water tank (2.3 litre capacity), in case of average operation sufficient for approx. 90 minutes
- Permanent refill function refilling of the water tank during the operation possible
- Continuously adjustable temperature control
- 2 anti-calc cartridges
- Extra large rest plate to provide the iron with a stable rest
- Arrestable holding device
- Long connection cable
- Cable take-up on the base
- 230 V, 50/60 Hz, 2200 W max.
- WxHxD approx. 205 x 315 x 365 mm



Scratch resistant and smooth running ceramic (2.3 litre capacity)

Art. no. 607 921 EAN 4 004 470 079 210

Art. no. 607 927

4 004 470 079 272



Removable water tank



Replacement cartridge for DBS 792 CB

BEHER HALLEN

Art. no. 8 936 110 EAN 4 006 160 632 606

Art. no. 607 820 4 004 470 078 206

PU₆









PU₂





Mini-washing machine MWA 9485 CB

- Light mini-washing machine
- Obviates the need for tedious hand washing at home and when travelling
- Ideal for both small washes and for sensitive laundry items
- Washes quickly and effectively with a consistent result
- Low water, electricity and detergent consumption
- Ideally suited for camping, holidays and single households
- 15 minute timer
- Incl. drainage hose and water inlet
- Capacity: 13 litre max. / 1.5 kg
- 230 V, 50 Hz, 135 W
- WxHxD approx. 330 x 460 x 360 mm



15 minute timer







Water level

- Steamer for steam ironing, removes wrinkles and lint
- Gentle and effective method for removing creases from
- The gentle steam effect extends the lifespan of your clothes
- Saves time over traditional ironing
- Also suitable for sensitive materials
- Vertical steam function
- Quick warm-up time through 1500 watt of power ready to use in around 50 seconds
- Detachable 1.2 litre capacity water tank
- Use for up to 40 mins on a full tank
- Steplessly height-adjustable telescopic pole (to 1.35 m) for individual adjustment to body height and for easy storage
- Constant steam output: around 30 g/min.
- Vertical steam ironing for hanging clothes, curtains etc.
- Anti-drip system
- Easy to transport through 2 large rollers and 2 360° casters
- Accessories: Trousers and clothes hanger, brush head, fabric brush attachment for removing wrinkles and bobbles
- On/off switch (illuminated)
- Overheating protection
- Fire protection fuse
- Cable length approx. 1.80 m
- 230 V, 50 Hz, 1500 W
- BxHxT ca. 340 x 1640 x 230 mm







Steam cleaner **DR 905 CB**

- Steam cleaner, cleans, disinfects and degreases without limescale residues or streaks left behind from cleaning
- 3.5 bar steam pressure
- Approx. 300 ml water tank
- Long lead, approx. 5 m
- Overpressure protection
- Overheating protection
- Includes 9 accessories: 2x brush, nozzle, angle, fleece and windowcleaning attachments, hose, measuring beaker
- 220-240 V, 50/60 Hz, 1000 W
- WxHxD approx. 210 x 320 x 160 mm



2x round brush



Jet nozzle attachment



Universal cleaning attachment



Angle attachment



Fleece



Measuring cup

Steam cleaner **DR 906 CB**

- Steam cleaner, cleans, disinfects and degreases without limescale residues or streaks left behind from cleaning
- 3.5 bar steam pressure
- Approx. 600 ml water tank
- Aluminum boiler
- Control lamp (mains and standby)
- Safety tank lid with pressure relief valve
- Overheating protection
- On/off switch protected against water spray
- Practical carrying handle
- Smooth-running wheels
- Steam control on the handle
- Incl. 9 accessories: 2-part extendable insertable tube, floor brush, non-woven cloth, window wiper, jet nozzle attachments, round brush attachment, funnel, measuring beaker
- 230 V, 50/60 Hz, 1350 W
- WxHxD approx. 670 x 260 x 285 mm







Round brush attachment







Art. no. 609 051

4 004 470 090 512

PU₂











BOMANN®



Fleece attachment for thorough cleaning



Window-cleaning attachment, cleans without streaks and limescale residue




Accessories: 2x microfiber cloth, measuring beaker, window cleaner, nozzle, brush, of the components carpet glider attachment



Space-saving storage by easy separation

High-pressure cleaner HDR 9013 CB



- Approx. 90 bar
- Delivery volume: 300 l max./h (5 l max./min.)
- Area capacity: approx. 20 m²/h
- Inlet temperature: 40 °C max.
- 1400 W max.
- Integrated water filter for protection of the pump against entry of dirt
- Large work reach by 5 m long connection cable and 5 m long high-pressure hose
- Compact housing with low weight (5.7 kg)
- Quick, clean and easy use of detergents with the practical detergent bottle (300 ml)
- Adjustable high-pressure nozzle ■ High-pressure gun
- On/off switch (splashproof)
- Practical cable and hose winding on the unit for clean and space-saving storage
- Additional accessories can be stored on the unit
- Incl. carrying handle
- 230 V, 50 Hz, 1400 W
- WxHxD approx. 255 x 480 x 245 mm



Incl. cleaning agent bottle (300 ml)



Incl. practical cable reel




Mobile use – gentle and powerful cleaning

Steam mop **DR 904 CB**







- Suitable for different surfaces: e.g. laminates, wooden floors, marble, rubber, slate, ceramics
- Cleans fabric surfaces such as carpets, mats and cushions
- Environmentally friendly and hygienic cleaning without the use of chemicals
- Kills bacteria through high steam power
- Maximum disinfection and intensive cleaning
- Ready to use in around 30 seconds
- Approx. 300 ml water tank
- Use for up to 30 min. on a full tank
- Up to 25 g steam/min.
- Carpet glider attachment
- Aluminium telescopic tube
- Removable handle and nozzle for easy use by hand
- Accessories: 2x microfiber cloth, measuring beaker, window cleaner, nozzle, brush
- Long lead, approx. 5.0 m
- Electric lead take-up
- Fire protection fuse
- 220-240 V, 50/60 Hz, 1500 W
- WxHxD approx. 260 x 1200 x 210 mm





Window cleaner WC 908 CB

84

- Rechargeable battery-operated window cleaner set for daily use
- Streak-free, time-saving, and hygienic cleaning for example of flat surfaces, windows, glass doors, mirrors, shower stalls, car windows, etc.
- 2-in-1 cleaning/suction function
 - drip-free cleaning by 270 mm wide suction nozzle
 - thorough cleaning by 310 mm wide micro fleece attachment
- High-power ni-mh battery for up to 40 min. cleaning time
- Included spraying bottle and micro fleece attachment (machine-washable)
- Easy handling because of low weight (600 g)
- Charging power supply: 230–240 V, 50/60 Hz
- Battery: 3.6 V, 1500 mAh
- WxHxD approx. 270 x 110 x 360 mm







Micro fleece cloth pad for cleaning (310 mm, removable)




Width suction nozzle for cleaning free of streak (270 mm)

Battery vacuum cleaner CB 967


- With 3 rechargeable Ni-Mh batteries
- Nozzle for small gaps, brush nozzle
- Permanent dust filter, washable
- Charge control lamp (LED)
- Charger mains adapter
- Foot/wall mounting (installation materials not supplied)
- Charger mains adapter: 230 V, 50 Hz
- Rechargeable battery: 3.6 V, 1400 mAh
- WxHxD approx. 100 x 130 x 310 mm











4 004 470 090 819



Battery wet/dry vacuum cleaner AKS 960 CB

- Wet/dry vacuum cleaner
- Powerful battery vacuum cleaner with three rechargeable batteries
- Permanent dust filter, washable
- Charge control lamp (LED)
- Charger mains adapter
- Accessories: Recess nozzle, attachment for wet vacuuming, wall mounting
- Charger mains adapter: 230 V, 50 Hz
- Rechargeable battery: 3.6 V, 1400 mAh
- WxHxD approx. 110 x 130 x 380 mm

Battery vacuum AKS 713 CB

- Wet/dry vacuum cleaner
- Powerful battery vacuum cleaner with 10 rechargeable batteries
- Permanent dust filter (washable)
- Charge control lamp (LED)
- 12 V and battery operation possible
- Direct-Drive function: with fully discharged battery, the vacuum cleaner can be used immediately in 12 V operation
- Cable storage compartment
- Accessories: 2x crevice nozzle (1x 13 cm, 1x 26 cm), attachment for wet vacuuming, brush nozzle, 12 V adapter cable
- Charger mains adapter: 230 V, 50 Hz
- Rechargeable battery: 12 V / Battery (NiMh), 1400 mAh
- WxHxD approx. 125 x 130 x 400 mm

Hand vacuum cleaner CB 947

- Hand vacuum cleaner for vacuuming of: furniture, upholstery, frames, curtains, books, computers, cars, and much more
- Compact size: 24 x 12 x 15 cm
- Permanent dust filter
- Easy to clean
- 6 m cable
- Low wight
- Vertical storage (space saving)
- Accessories: flexible "vacuum snout" with crevice nozzle, small and large brush, shoulder strap
- 230 V, 50 Hz, 700 W max.
- WxHxD approx. 110 x 185 x 360 mm











Attachment for wet



Extra-long crevice nozzles, for example, for use in the car

360° brush nozzle











Art. no. 607 139 4 004 470 071 399



Art. no. 609 470 4 004 470 094 701

PU 6





vacuuming







86

Floor vacuum cleaner BS 9011 CB

- 4-layer micro-filter system
- Metal suction tube
- Switchable floor brush
- Bag full display
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 2-fold accessories: brush/crevice nozzle
- 220-240 V, 50/60 Hz, 1000 W
- WxHxD approx. 245 x 229 x 316 mm

Spare bags:

SSB 101

Art. no. 282 047

4 004 470 820 478 **EAN**



Floor vacuum cleaner BS 9019 CB

- 4-layer micro-filter system
- Stainless steel suction tube
- Switchable floor brush
- Bag full display
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 2-fold accessories: combined brush/crevice nozzle
- 220-240 V, 50/60 Hz, 700 W
- WxHxD approx. 256 x 205 x 310 mm

Spare bags:

SSB 98

Art. no. 282 193

4 006 160 821 932 **EAN**



Art. no. 690 110

4 004 470 901 108

PU 1

Art. no. 690 195 4 004 470 901 955









Floor vacuum cleaner BS 9014 CB


- Electronic power adjustment
- 4-layer micro-filter system
- Includes HEPA exhaust filter
- Stainless steel suction tube (approx. 84 cm lenght
- Extra large operation range (approx. 8.30 m)
- Switchable floor brush
- Bag full display
- Rubberised rollers (ideal for sensitive floors)
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- Integrated accessory tray
- 2-fold accessories: combined brush/crevice nozzle
- 220-240 V, 50/60 Hz, 800 W
- WxHxD approx. 255 x 205 x 370 mm

Spare bags:

SSB 98

Art. no. 282 193

EAN 4 006 160 821 932



Floor vacuum cleaner BS 9010 CB


- Electronic power adjustment
- 4-layer micro-filter system
- Includes HEPA exhaust filter
- Stainless steel suction tube (approx. 85 cm lenght
- Extra large operation range (approx. 8.30 m)
- Switchable floor brush
- Bag full display
- Rubberised rollers, ideal for sensitive floors
- Practical carrying handle
- Automatic cable rewind
- Integrated accessory tray
- Space-saving parking aid
- 2-fold accessories: combined brush/crevice nozzle
- 230 V, 50 Hz, 800 W
- WxHxD approx. 280 x 240 x 460 mm

Spare bags:

SSB 101

Art. no. 282 047

EAN 4 006 160 820 478















ELECTRONIC



88

Floor vacuum cleaner BS 9020 CB


- Electronic power adjustment
- 4-layer micro-filter system
- Includes HEPA exhaust filter
- Stainless steel suction tube (approx. 84 cm lenght
- Extra large operation range (approx. 8.30 m)
- Switchable floor brush
- Incl. parquet brush
- Bag full display
- Rubberised rollers (ideal for sensitive floors)
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 3-fold accessories: crevice nozzle, upholstery nozzle, 360° brush attachment
- 220-240 V, 50/60 Hz, 700 W
- WxHxD approx. 291 x 246 x 457 mm

Spare bags:

SSB 101

Art. no. 282 047

EAN 4 006 160 820 478



Floor vacuum cleaner BS 9015 CB

- Electronic power adjustment
- 4-layer micro-filter system
- Includes HEPA exhaust filter
- Stainless steel suction tube (approx. 84 cm lenght
- Extra large operation range (approx. 8.30 m)
- Switchable floor brush
- Bag full display
- Rubberised rollers (ideal for sensitive floors)
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 2-fold accessories: combined brush/crevice nozzle
- 220-240 V, 50/60 Hz, 700 W
- WxHxD approx. 280 x 240 x 320 mm

Spare bags:

SSB 101

282 047 Art. no.

EAN 4 006 160 820 478



Art. no. 690 206

4 004 470 902 068

PU 1

Art. no. 690 151 4 004 470 901 511







BOMANN®

89





Floor vacuum cleaner BS 9012 CB

- Eco-Cyclon
- Bagless filter technology
- 4-layer micro-filter system
- Includes HEPA filter
- Metal suction tube
- Switchable floor brush
- Rubberised rollers, ideal for sensitive floors
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 2-fold accessories: combined brush/crevice nozzle
- 220-240 V, 50/60 Hz, 1000 W
- WxHxD approx. 235 x 290 x 365 mm

Floor vacuum cleaner BS 9018 CB

- Floor vacuum cleaner with energy-saving 700 Watt
- Electronic power adjustment
- Includes 2 HEPA filter
- Height-adjustable telescopic tube
- Adjustable floor brush
- Bagless filtertechnology (no need to purchase dust bags)
- Easy-to-empty, transparent dust-collecting container replaces conventional dust bag
- Tank volume: 1.25 l
- Motor protection filter (washable)
- Rubberised rollers (ideal for parquet floors)
- Automatic cable rewind
- Space-saving parking aid
- 3-fold accessories: combined brush/crevice nozzle, upholstery nozzle
- 220-240 V, 50/60 Hz, 700 W
- WxHxD approx. 365 x 265 x 285 mm









Floor vacuum cleaner BS 9017 CB

- Eco-Cyclon twin spin floor vacuum cleaner with powerful max. 700 watt motor
- Bagless Cyclon Twin Spin technique allows continual high suction power
- Electronic power adjustment
- 4-layer filter system

90

- Includes HEPA filter
- Stainless steel suction tube (approx. 84 cm lenght)
- Extra large operation range (approx. 8.30 m)
- Switchable floor brush
- Rubberised rollers (ideal for sensitive floors)
- Practical carrying handle
- Automatic cable rewind
- Space-saving parking aid
- 3-fold accessories: combined brush/crevice nozzle, upholstery nozzle
- 230 V, 50 Hz, 700 W
- WxHxD approx. 245 x 260 x 330 mm



Wet and dry vacuum cleaner BS 9000 CB

- Stainless steel housing
- Large and comfortable wet and dry vacuum cleaner with powerful 1600 watt max.
- Tank capacity: approx. 20 litres
- Multi filter system
- Incl. blower function, e.g. for easy removal of leaves
- Draws coarse dirt as effectively as liquids
- Optimal stability through 4 rollers
- Deflection rollers (360°) allow smooth and flexible working
- 2-part robust suction tube
- Overflow protection by float valve
- Practical holder on the vacuum cleaner for quick access and tidied accessory
- 5 m cable allows large operation range
- Accessories: brush/crevice nozzle, wet/dry brush, washable permanent filter
- 220-240 V, 50/60 Hz, 1600 W max.
- Wx Hx D approx. 340 x 500 x 340 mm







use onlaminate, carpets etc.

brush nozzle and crevice nozzle

Art. no. 690 176


EAN 4 004 470 901 764 Art. no. 690 173

PU₁

4 004 470 901 733

PU 1











Electronic bathroom scale PW 1417 CB

- Electronic glass bathroom scale with easy-to-read LCD display
- Weighing units in kg, lb, st (convertible)
- Measurement range of 2.5–150 kg (subdivided into 100 g steps)
- Low-maintenance standing surface
- Non-slip feet ensuring secure base
- Automatic switch-off (prolongs battery life)
- Battery operation: 1x CR 2032 (battery not included)
- WxHxD approx. 330 x 300 x 25 mm

Electronic bathroom scale PW 1418 CB

- Electronic glass bathroom scale with easy-to-read LCD display
- Weighing units in kg, lb, st (convertible)
- Measurement range of 2.5–150 kg (subdivided into 100 g steps)
- Low-maintenance standing surface
- Non-slip feet ensuring secure base
- Automatic switch-off (prolongs battery life)
- Battery operation: 1x CR 2032 (battery not included)
- WxHxD approx. 320 x 320 x 25 mm

Foot massager FM 8000 CB

- Intense whirlpool effect
- Massage burls for stimulating the foot reflex zones
- Additional massage roller, detachable, for selective foot reflex zone massage
- Heated footrest
- 4-level switches:
 - 0 = off
 - 1 = massage,
 - 2 = warm/whirl
 - 3 = warm/whirl/massage
- Can be used with and without water
- Splash guard, detachable
- Water level mark
- Spout
- Large rubber feet for slip-proof stand
- 230 V, 50 Hz, 90 W
- WxHxD approx. 300 x 120 x 380 mm





 ϵ

Art. no. 614 171 EAN 4 004 470 141 719

PU 6

Art. no. 614 181 EAN 4 004 470 141 818



Art. no. 680 000 EAN 4 004 470 800 005





Nose and ear hair remover NE 8008 CB

- Conveniently and simply removes troublesome hairs in the nose and ears
- Includes light for improved personal grooming
- Removable fine-steel shearing head for cleaning
- On/off switch

92

- Incl. covering cap for the shearing head
- Battery operation: 1x 1.5 V (AA) (batteries not included)
- WxHxD approx. 30 x 130 x 35 mm

Hair and beard trimmer HSM 8006 CB

- Stainless steel precision shaving head for uniform haircut
- Stainless steel blade
- Stepless cutting lenght adjustment for efficient use of the comb attachments
- 4 comb attachments: 3, 6, 9, 12 mm
- Rubberized inlay for non-slip handling
- Accessories:
 - 4 comb attachments
 - Cleaning brush
 - Shearing head protection
 - Hanging loop
- 220-240 V, 50 Hz, 10 W max.
- WxHxD approx. 65 x 200 x 55 mm



Includes light for




Promotional improved personal Packaging





Art. no. 680 080 4 004 470 800 807













Hair and beard trimmer:

Hair trimmer set

HSM 8007 NE CB

- Stainless steel precision shaving head for uniform haircut
- Stainless steel blade
- Stepless cutting lenght adjustment for efficient use of the comb attachments
- 4 comb attachments: 3, 6, 9, 12 mm
- Soft touch inlay for non-slip handling
- Accessories: 4 comb attachments, cleaning brush, shearing head protection, comb, hanging loop
- 230–240 V, 50 Hz, 10 W max.
- WxHxD approx. 65 x 200 x 55 mm

■ Nose and ear hair remover:

- Gently and comfortably removes unsightly nose and ear hair
- Stainless steel shaving head, can be detached for cleaning
- Incl. cap for shaving head
- Battery operation: 1x 1.5 V (AA) (batteries not included)
- WxHxD approx. 28 x 130 x 30 mm

Hair crimper HC 8001 CB

- Hair crimper chromed
- Trouble-free styling due to the constant, long-lasting temperature
- Rapid heating
- Indicator light
- Soft touch housing
- Cable attached via 360° turnable joint
- On/off switch
- Incl. setting-down aid
- 230 V, 50 Hz, 25 W
- WxHxD approx. 280 x 35 x 70 mm


Hot air styler CB 856

- 2 power levels
- Roll key for accessories
- Ergonomically formed
- Cable with swivel cord 360°
- Safety cut-out
- 230 V, 50 Hz, 300 W
- WxHxD approx. 320 x 50 x 50 mm

























Hot air styler HAS 887 CB 94


- Powerful 550 watt motor
- 2 power levels + cold level "Cool Shot"
- Incl. 3 accessories: volume styler, round brush, regular brush
- Roll-out button for attachments
- Switchable voltage
- Overheating protection
- 110/230 V, 50/60 Hz, 550 W
- WxHxD approx. 305 x 45 x 45 mm

Travelling hair dryer CB 818

- Compact sports hair dryer
- 2 power levels
- Removable shaping nozzle
- Switchable voltage
- Ring for hanging up
- Practical transparent bag
- 120/230 V, 50/60 Hz, 1200 W max.
- WxHxD approx. 130 x 195 x 70 mm



Incl. volume styler, round brush, regular brush











Hair dryer HT 8002 CB

- Compact travelling hair dryer
- 2 temperature/power settings
- Removable shaped nozzle, rotatable through 360°
- Rubber profile on the casing avoid slipping
- Overheating protection
- Hanging loop
- 230 V, 50 Hz, 1200 W
- WxHxD approx. 111 x 210 x 75 mm

Hair dryer HTD 8005 CB


- Compact travelling hair dryer
- Folding handle
- 2 temperature/power settings
- Removable shaped nozzle, rotatable through 360°
- Soft touch housing rubberised surface to prevent slipping when putting down
- Includes volume diffuser and seethrough bag for practical storage and when travelling
- Switchable voltage: 110/230 V
- Hanging loop
- 230 V, 50 Hz, 1300 W max.
- WxHxD approx. 170 x 235 x 75 mm

Professional hairstyler HTD 889 CB

- Professional hairstyler with 2000 watt
- 3 temperature/power settings
- 2 speed settings
- Cool Shot
- Professional volume diffuser and shaping nozzle
- Air intake filter, removable
- Rubberised housing
- Avoid slipping
- Soft-touch grip
- Overheating protection
- Hanging loop
- 230 V, 50 Hz, 2000 W max.
- WxHxD approx. 270 x 270 x 90 mm



680 056







Ø 23 cm

Professional hairstyler HTD 899 CB

- Professional hairstyler with 2200 watt
- 3 temperature/power settings
- 2 speed settings
- Cool Shot

96

- Professional volume diffuser and shaping nozzle
- Air intake filter, removable
- Screw-in handle (space-saving)
- Soft touch housing rubberised surface prevents slipping
- Includes travel bag with pull cord
- Safety thermal cut-out
- Hanging loop
- 230 V, 50 Hz, 2200 W
- WxHxD approx. 245 x 255 x 85 mm

Table fan VL 1137 CB

- Oscillating (can be switched off)
- Adjustable angle of inclination
- Metal protection grid
- Safe base
- Ø approx. 23 cm
- 2 speed level
- 3-level switches (0-1-2)
- Practical carrying handle
- 220-240 V, 50/60 Hz, 30 W
- WxHxD approx. 275 x 375 x 220 mm





Screw-in handle








Art. no. 608 996

4 004 470 089 967

PU 6



PU 4





Incl. travel bag

BOMANN®





Table fan **VL 1138 CB**

- Oscillating (can be switched off)
- Adjustable angle of inclination
- Metal protection grid
- Safe base
- Ø approx. 30 cm
- 3 speed level
- 4-level switches (0-1-2-3)
- Practical carrying handle
- 220-240 V, 50/60 Hz, 40 W
- WxHxD approx. 340 x 480 x 245 mm

Standing fan VL 1139 S CB

- Oscillating (can be switched off)
- Height-adjustable
- Adjustable angle of inclination
- Metal protection grid
- Safe base
- Ø approx. 40 cm
- 3 speed level
- 4-level switches (0-1-2-3)
- Practical carrying handle
- 220-240 V, 50/60 Hz, 45 W
- WxHxD approx. 430 x 1250 x 640 mm

Fan heater HL 1095 CB

- 2 heat settings (1000/2000 watt max.)
- Cold (ventilator)
- Infinitely adjustable thermostat
- Indicator light
- 2 different ways of setting up
- Safe base
- Sturdy carrying handle
- Overheating protection
- **220–240 V, 50 Hz, 1800–2000 W**
- WxHxD approx. 248 x 120 x 250 mm















2 different ways of setting up



PU 4

Art. no. 611 390 EAN 4 004 47 4 004 470 611 397













98





Fan heater HL 1096 CB

- 2 heat settings (1000/2000 watt)
- Cold (ventilator)
- Infinitely adjustable thermostat
- Indicator light
- Safe base
- Sturdy carrying handle
- Overheating protection
- 220-240 V, 50 Hz, 2000 W
- WxHxD approx. 230 x 138 x 262 mm

Ceramic fan heater HL 1097 CB

- PTC ceramic heater element for healthy, safe, quiet and efficient heating
- Low dust accumulation
- Quick and effective heating
- Long service life
- Robust and durable
- 7 level switches
- 2 heat settings (750/1500 W)
- Oscillating (can be deactivated)
- Cold setting (fan blower)
- Steplessly adjustable thermostat
- Safety switch for fire protection
- Stable stand
- Robust carry handle (foldable)
- Overheat protection
- 220-240 V, 50 Hz, 1500 W
- WxHxD approx. 191 x 267 x 141 mm

Air dehumidifier LE 1150 CB

- Dehumidification power: 12 L/24 h
- Air circulation in m³: Level 1: approx. 100 m³/h
- Level 2: approx. 140 m³/h
- LED display (blue illuminated)
- Humidity indicator
- Electronic humidity control
- The desired humidity can be set from 40 to 80 %
- 24 hour timer
- 1 L water tank (detachable)
- Fold-out carrying handle
- Convenient rollers
- Automatic stop + warning signal with full tank
- Low noise
- Removable air filter (easy to clean)
- Hose connector for permanent water drain
- Incl. water hose (1 m)
- On/off switch
- Coolant: R134A
- Ideal for rooms up to 15 m²
- 220-240 V, 50 Hz, 220 W
- WxHxD approx. 280 x 520 x 185 mm







Hose connector for permanent water drain











Art. no. 611 509 4 004 470 115 093







Oscillating





Cool box KB 9486 CB

- Suitable for cooling and warming
- Perfect for camping, travel and shopping
- Capacity (gross capacity): ca. 25 litre max.
- Even cooling by integrated fan
- Powerful, maintenance-free Peltier cooling/heating system
- Energy saving function
- Double walled plastic casing with high quality isolation
- Special sealing rubber in the lid reduces condensation
- Control lights for cooling and warming function
- Foldable handle
- Removable lid
- Accessory: 12 V connecting cable (detachable), 230 V connecting cable (detachable)
- Power supply:
- Mains adapter connection: DC 12 V, 40/48 W
- Mains adapter connection: AC 220-240 V, ~ 50/60 Hz, 52/58 W, 11 W (ECO mode)
- WxHxD approx. 405 x 435 x 300 mm



For all standard



Cool box KB 9487 CB

- Suitable for cooling and warming
- Perfect for camping, travel and shopping
- Capacity (gross capacity): ca. 30 litre max.
- Even cooling by integrated fan
- Powerful, maintenance-free Peltier cooling/heating system
- Energie saving function
- Double walled plastic casing with high quality isolation
- Special sealing rubber in the lid reduces condensation
- Control lights for cooling and warming function
- Foldable handle
- Removable lid
- Cable storage compartment
- Accessory: 12 V connecting cable, 230 V connecting cable
- Power supply:
 - Mains adapter connection: DC 12 V, 40/48 W
 - Mains adapter connection: AC 220-240 V, ~ 50/60 Hz, 52/58 W, 8 W (ECO mode)
- WxHxD approx. 405 x 435 x 300 mm



For all standard 0.75 / 1.0 / 1.5-litre bottles





Art. no. 694 861 4 004 470 948 615




















Wine cooler KSW 344

- Bottle capacity: 16 at 0.75 litres
- Net capacity: 46 litres
- Control panel with LED-display (blue illuminated)
- Electronical temperature setting and -control
- Eco-friendly, without coolant

General

- Wine storage cabinet
- Thermoelectric cooling
- Climate class N (+16 °C to +32 °C)
- Low-noise 43 dBA, without vibration
- Without compressor

Features

- Digital temperature settings and display (blue illuminated)
- Temperature settings from +11 °C to +18 °C, max. 14 °C below ambient temperature
- LED interior light (separate switchable)
- 3 removable shelves made of chrome (W 35.0 x D 26.5 cm)
- Double pane door with recessed handle
- Housing black color, door frame in silver color
- Adjustable feet
- 230 V~, 70 W
- WxHxD approx. 420 x 520 x 480 mm



Wine cooler KSW 345


- Bottle capacity: 18 at 0.75 litres
- Net capacity: 54 litres
- Control panel with LED-display (blue illuminated)
- Electronical temperature setting and -control
- Eco-friendly, without coolant

General

- Wine storage cabinet
- Thermoelectric cooling
- Climate class N (+16 °C to +32 °C)
- Low-noise 39 dBA, without vibration
- Without compressor

Features

- Digital temperature settings and display (blue illuminated)
- Temperature settings from +11 °C to +18 °C, max. 14 °C below ambient temperature
- LED interior light (separate switchable)
- 5 removable shelves made of chrome (W 27.5 x D 26.5 cm)
- Double pane door with recessed handle
- Housing black color, door frame in silver color
- Adjustable feet
- 230 V~, Connection power: 70 W
- WxHxD approx. 345 x 636 x 515 mm



Art. no. 734 400 4 004 470 734 409

PU 1

Art. no. 734 500 4 004 470 734 508













Replacement bottle/ Replacemant jars

Replacement cartridges

Spare rolls for bag sealer

Replacement bottle for Smoothie maker SM 386 CB

Art. no. 264 559

EAN 4006 160 645 590

PU 6

PU 4

Replacement jars for Yoghurt-Maker JM 1025 CB

Art. no. 251 125

4006 160 511 253 EAN

Replacement cartridges for DBS 778 CB, DBS 783 CB

Art. no. 8 934 610

4006 160 632 583 EAN

PU 3

PU 3

Replacement cartridges for **DBS 792 CB**

Art. no. 8 936 110

EAN 4006 160 632 606 Spare rolls for . FS3261

Art. no.: 282 020

4 006 160 820 201 PU 10



You will find other accessory articles under www.bomann.de

Dust bags

Vacuum Cleaners	Article-No.	EAN No.	Bomann Type	Swirl Type
BS 902 CB	282193	4004470 821932	SSB 98	Y 98
BS 911 CB	282047	4006160820478	SSB 101	Y 05
CB 925	309250	4004470 309256	B 45	Y 101
CB 917/918/929	282049	4006160 820492	SSB 104	Y 104
CB 940	282047	4006160 820478	SSB 101	Y 93
CB 941	309410	4004470 309416	B 49	Y 101
CB 942	282047	4006160 820478	SSB 101	Y 101
CB 946	282193	4006160 821932	B 52/SSB 98	Y 98
CB 948	282047	4006160 820478	SSB 101	Y 101
CB 949	282047	4006160 820478	SSB 101	Y 05
CB 950	282207	4006160 822076	SSB 30	Y 30
CB 952/953	282049	4006160 820492	SSB 104	Y 104
CB 957	282047	4006160 820478	SSB 101	Y 101
BS 961 CB	282047	4006160 820478	SSB 101	Y 101
CB 962	282049	4006160 820492	SSB 104	Y 104
CB 965	282047	4006160 820478	SSB 101	Y 93
CB 966	282047	4006160 820478	SSB 101	Y 05
BS 968 CB	282193	4006160 821932	SSB 98	Y 298
BS 973 CB / BS 986 CB	282193	4006160 821932	SSB 98	Y 298
BS 974 CB	282193	4006160 821932	SSB 98	Y 298
BS 976 CB	_	-	_	Y 293
BS 980 CB	282047	4006160 820478	SSB 101	Y 50
BS 981 CB	_	_	_	R 23
BSS 982 CB	8126102	-	BSS 1261	R 23
BS 985 CB / BS 988 CB	282047	4006160 820478	SSB 101	Y 93
BS 987 CB	282047	4006160 820478	SSB 101	Y 101
BS 989 CB / BS 9014 CB / BS 9019 CB	282193	4006160 821932	SSB 98	Y 98
CB 991	282047	4006160 820478	SSB 101	Y 05
CB 992	282193	4006160 821932	SSB 98	Y 98
CB 993	282207	4006160 822076	SSB 30	Y 230
BS 9010 CB / BS 9011 CB / BS 9015 CB / BS 9020 CB	282047	4006160 820478	SSB 101	-



Vacuum Cleaners	Article-No.	EAN No.	Bomann Type
BS 912 CB	8912800	_	Filterset BS 1280
CB 954	282840	4006160 828405	Filterset BS 1228
CB 955	612290	4006160 122909	Filterset BS 1229
CB 956	282862	4006160 828627	Filterset BS 1236
BS 958 CB	282918	4006160 829181	Filterset BS 1273
CB 964	282886	4006160 828863	Filterset BS 1240
BS 970 CB	271576	4006160 715767	Filterset BS 1247
BS 971 CB	282906	4006160 829068	Filterset BS 1248
BS 972 CB	282907	4006160 829075	Filterset BS 1249
BS 975 CB	282914	4006160 829143	Filterset BS 1253
BS 979 CB	271596	4006160 715965	Filterset BS 1256
BS 983 CB	282907	4006160 829075	Filterset BS 1249
BS 984 CB	271575	4006160 715750	Filterset BS 1255
CB 997	282850	4006160 828504	Filterset BS 1234



Vacuum Cleaners	Article-No.	EAN No.	Bomann Type
CB 939	209390	4004170 093905	_
CB 950	282203	4006160 822038	Filter BS 1224







TECHNICAL DATA FOR VACUUM CLEANERS

Commission Delegated Regulation (EU) No. 665/2013

Bomann									
Model	BS 9010 CB	BS 9011 CB	BS 9012 CB	BS 9014 CB	BS 9015 CB	BS 9017 CB	BS 9018 CB	BS 9019 CB	BS 9020 CB
Energy efficiency class¹)	A	В	В	Α	Α	Α	Α	А	Α
Energy consumption									
Annual energy consumption ²) kWh	26.5	32.9	32.2	26.6	26.1	27.0	26.7	27.0	26.9
Cleaning performance class	Cleaning performance class								
Carpet cleaning performance class	D	Е	Е	F	Е	D	Е	E	D
Hard floor cleaning performance class	В	Α	Α	В	В	Α	В	В	Α
Dust re-emission class	С	G	G	F	В	D	С	F	D
Sound power level dB(A) re 1pW	81	85	83	82	82	88	76	80	81
Rated input power W	800	1.000	1.000	800	700	700	700	700	700

TECHNICAL DATA FOR HOUSEHOLD REFRIGERATORS

Commission Delegated Regulation (EU) No. 1060/2010

Bomann					
Model	KB 9486 CB	KB 9487 CB	KSW 344	KSW 345	
Category¹)	10	10	2	2	
Energy efficiency class ²) A+++ (highest efficiency) to G (lowest efficiency)	A+	A++	A	В	
Consumption data					
Annual energy consumption ³) kWh	97	70	131	189	
Net capacity cooling total I	25	30	_	-	
- thereof cold storage compartment	-	-	-	-	
– thereof wine storage compartment	-	-	-	-	
– thereof cellar compartment	-	-	_	-	
– thereof storage compartment for fresh-food	_	-	_	-	
Net capacity freezing	-	-	_	-	
Star rating ⁴)	-	-	-	-	
Design temperature of other compartments °C	-	-			
Coldest storage temperature of wine storage compartment °C	-	-	+11	+11	
Frost-free	-	-	-	-	
Temperature rise time h	-	-	-	-	
Freezing capacity kg/ 24 h	-	-	-	-	
Climate class ⁵)	SN/N	SN/N	N	N	
Noise level dB(A) re 1pW	35	35	43	39	
Built-in / integrable	-/-	-/-	-/-	-/-	
Wine storage appliance	-/-	-/-	•	•	

Category: 1 = Refrigerator with one or more fresh-food storage compartments, 2 = Refrigerator-cellar, Cellar and Wine storage appliances, 3 = Refrigerator-chiller and Refrigerator with a 0-star compartment, 4 = Refrigerator with a one-star compartment, 5 = Refrigerator with a two-star compartment, 6 = Refrigerator with a three-star compartment, 7 = Refrigerator-freezer, 8 = Upright freezer, 9 = Chest freezer, 10 = Multi-use and other refrigerating appliances.

A+++ (highest efficiency) to G (lowest efficiency).

Annual energy consumption "XYZ" kWh per year based on standard test results for 24 h. Actual energy consumption will depend on how the appliance is used and where is located.

* = compartment: a frozen-food storage compartment in which the temperature is not warmer than -6°C.

(*)***= food freezer compartment in which the temperature is not warmer than -18°C.

(*)***= food freezer compartment in which the temperature is not warmer than -18°C and a minimum freezing capacity in 24 h.

Climate class N: ambient temperature of +16°C up to +32°C.

Climate class N: ambient temperature of +16°C up to +38°C.

Climate class T: ambient temperature of +16°C up to +38°C.

¹⁾ A (highest efficiency) to G (lowest efficiency).
2) Indicative annual energy consumption (kWh per year), based on 50 cleaning tasks. Actual annual energy consumption will depend on how the appliance is used.

The device meets the European standards and directives in the current version at delivery:

Low Voltage Directive (LVD) 2006/95/EC

Electromagnetic Compatibility (EMC) Legislation Directive 2004/108/EC

Ecodesign requirements for vacuum cleaners COMMISSION REGULATION (EU) No 666/2013



106

BOMANN[®]

C. Bomann GmbH Heinrich-Horten-Straße 17 47906 Kempen Germany

Telephone: +49 2152 8998-0 Telefax: +49 2152 8998-911

mail@bomann.de www.bomann.de